

Marble Protector

Marble Protector is part of the Professional Tile Maintenance Range. It is an advanced water based surface protector containing fluoropolymers. Unlike other products, the appearance of the impregnated surface remains almost totally unchanged.

- Fluoropolymer based protector suitable for all porous surfaces and all types of natural stone
- Does not affect the appearance of the impregnated surface
- Offers significant protection against water and oil based staining

Technical Information

APPEARANCE:	Pale Amber Liquid
ODOUR:	Lemon
pH:	~9.0
DENSITY:	1.0 kg/L approx.
SOLUBILITY:	Soluble in water
COVERAGE:	up to 5m ² /L

DIRECTIONS

- Note** Read Safety Datasheet before use. Always test an inconspicuous area first to ensure suitability for use, particularly on polished surfaces. Suitable for use on polished Calciferous Natural Stone such as marble, limestone etc.
- Suitability** Suitable for use on all porous substrates, all types of natural stone.
- Directions** Supplied ready to use, do not dilute further. Surface to be treated should be clean, free from staining and contamination. Any existing stains will be almost impossible to remove following treatment. Apply the solution liberally to the floor by roller, brush or clean cloth, at a rate of 0.2-0.5 L/m². Rinse surface with clean water and allow to dry naturally.
- Contains** Fluoropolymers (<5%), IPA (<5%)
- Storage** Store in a cool dry place out of direct sunlight.
Keep only in original container, locked and out of the reach of children.
- Shelf Life** 12 months in unopened manufacturer's containers.
- Packaging** 1L and 5L containers.

HANDLING PRECAUTION Larsen products are generally safe provided they are used as instructed and that certain precautions normally taken when handling chemicals are observed eg, do not allow any material to come into contact with foodstuffs. Avoid prolonged contact with skin. Do not swallow. For specific product safety details consult the Material Safety Data Sheet.

IMPORTANT NOTE The information given in this data sheet is based on both current development work and many years' field experience. Whilst every effort is made to ensure that the information is reliable we cannot accept responsibility for any work carried out with our materials as we have no control over methods of application, site conditions etc.

For further information consult our Technical Department
TEL: BELFAST 02890774000 DUBLIN 018348255