

# CEMENT COLOURS



Larsen Cement Colours are concentrated powder pigments for use with any cementitious mix. They are suitable for use in coloured mortars, renders, concrete mixes, grouts and pointing. Larsen Cement Colours are supplied in easy to use resealable packs.



**EASY TO USE**  
**AVAILABLE IN 4 COLOURS**  
**RE-SEALABLE PACKS**

**TECHNICAL INFORMATION:**

<b>PRODUCT INFORMATION</b>	
<b>FORM:</b>	Powder
<b>COLOUR(S):</b>	Black, Red, Brown, Yellow
<b>CHLORIDE CONTENT:</b>	Nil (i.e. <0.2 %)
<b>DOSAGE:</b>	2% by weight of cement

## **DIRECTIONS FOR USE:**

### **APPLICATION**

Add the required amount of pigments to the dry aggregates. Allow to mix for about one minute, and then add water. Allow 1kg of pigment per 50kg cement for standard shades. Lighter colours may require the use of white cement. Test before use with Lime mortars. Treat as standard mortar or concrete with regards to curing, etc. Efflorescence is a natural phenomenon which can cause the apparent lightening of coloured cement. Efflorescence generally weathers away after about 1 year. The effects of efflorescence can be reduced by the inclusion of a waterproofer in the mix.

### **CLEANING**

Clean tools with clean water.

### **STORAGE**

Store in a cool, dry place in closed containers.

### **SHELF LIFE**

12 months in unopened manufacturer's containers.

### **PACKAGING**

0.5kg and 1kg tubs.