

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/4

## Floor Tile Grout

Revision 5

Revision date 2019-12-10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|                     |                  |
|---------------------|------------------|
| <b>Product name</b> | Floor Tile Grout |
|---------------------|------------------|

#### 1.3. Details of the supplier of the safety data sheet


|                  |   |
|------------------|---|
| <b>Company</b>   | Larsen Building Products Ltd  |
| <b>Address</b>   | 4 West Bank Road<br>Belfast Harbour Industrial Estate<br>Belfast<br>BT3 9JL<br>United Kingdom |
| <b>Web</b>       | www.larsenbuildingproducts.com  |
| <b>Telephone</b> | +44 (0)28 9077 4000   |
| <b>Fax</b>       | +44 (0)28 9077 6945   |
| <b>Email</b>     | t.moore@larsenbuildingproducts.com  |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

|   |   |
|---|---|
| <b>2.1.2. Classification - EC 1272/2008</b> | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335; |
|---|---|

#### 2.2. Label elements

|  |  |
|--|--|
| <b>Hazard pictograms</b>                   |   |
| <b>Signal Word</b>                         | Danger   |
| <b>Hazard Statement</b>                    | Skin Irrit. 2: H315 - Causes skin irritation.<br>Skin Sens. 1: H317 - May cause an allergic skin reaction.<br>Eye Dam. 1: H318 - Causes serious eye damage.<br>STOT SE 3: H335 - May cause respiratory irritation.   |
| <b>Precautionary Statement: Prevention</b> | P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.<br>P264 - Wash thoroughly after handling.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P272 - Contaminated work clothing should not be allowed out of the workplace.<br>P280 - Wear protective gloves/protective clothing/eye protection/face protection.   |
| <b>Precautionary Statement: Response</b>   | P302+P352 - IF ON SKIN: Wash with plenty of water/ .<br>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.<br>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P310 - Immediately call a POISON CENTER/doctor/ .<br>P312 - Call a POISON CENTER/doctor/ /if you feel unwell.<br>P321 - Specific treatment (see on this label).<br>P332+P313 - If skin irritation occurs: Get medical advice/attention. |

# Floor Tile Grout

Revision 5  
Revision date 2019-12-10

## 2.2. Label elements

|                                      |   |
|--------------------------------------|---|
| Precautionary Statement:<br>Storage  | P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.                            |
|                                      | P403+P233 - Store in a well-ventilated place. Keep container tightly closed.<br>P405 - Store locked up. |
| Precautionary Statement:<br>Disposal | P501 - Dispose of contents/container to   |

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

| Chemical Name                       | Index No. | CAS No.    | EC No.    | REACH Registration Number | Conc. (%w/w) | Classification  |
|-------------------------------------|-----------|------------|-----------|---------------------------|--------------|---|
| Silica Sand (<1% Respirable Quartz) |           | 14808-60-7 | 238-878-4 |                           |              | Acute Tox. 4: H332; STOT RE 2: H373;  |
| Portland Cement                     |           | 65997-15-1 | 266-043-4 |                           |              | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335; |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|              |   |
|--------------|---|
| Inhalation   | Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention. |
| Eye contact  | Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.                                   |
| Skin contact | Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.                                 |
| Ingestion    | Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.  |

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|  |                |
|--|----------------|
|  | Carbon oxides. |
|--|----------------|

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
|  | Burning produces irritating, toxic and obnoxious fumes. |
|--|---|

### 5.3. Advice for firefighters

|  |   |
|--|---|
|  | Wear suitable respiratory equipment when necessary. |
|--|---|

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|  |  |
|--|--|
|  | Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment. |
|--|--|

### 6.2. Environmental precautions

|  |   |
|--|---|
|  | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

### 6.3. Methods and material for containment and cleaning up

|  |  |
|--|--|
|  | Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |
|--|--|

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|  |  |
|--|--|
|  | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
|--|--|

# Floor Tile Grout

Revision 5

Revision date 2019-12-10

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

|                                     |  |  |
|-------------------------------------|--|--|
| Portland Cement                     | WEL 8-hr limit ppm: -                            | WEL 8-hr limit mg/m3: -                            |
|                                     | WEL 15 min limit ppm: -                          | WEL 15 min limit mg/m3: -                          |
|                                     | WEL 8-hr limit mg/m3 total 10<br>inhalable dust: | WEL 15 min limit mg/m3 total -<br>inhalable dust:  |
|                                     | WEL 8-hr limit mg/m3 total 4<br>respirable dust: | WEL 15 min limit mg/m3 total -<br>respirable dust: |
| Silica Sand (<1% Respirable Quartz) | WEL 8-hr limit ppm:                              | WEL 8-hr limit mg/m3: 0.1                          |
|                                     | WEL 15 min limit ppm:                            | WEL 15 min limit mg/m3:                            |
|                                     | WEL 8-hr limit mg/m3 total 10<br>inhalable dust: | WEL 15 min limit mg/m3 total<br>inhalable dust:    |
|                                     | WEL 8-hr limit mg/m3 total 4<br>respirable dust: | WEL 15 min limit mg/m3 total<br>respirable dust:   |

### 8.2. Exposure controls

|   |  |
|---|--|
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. |
| 8.2.2. Individual protection measures   | Wear chemical protective clothing.               |
| Eye / face protection                   | Approved safety goggles.                         |
| Skin protection - Handprotection        | Chemical resistant gloves (PVC).                 |
| Respiratory protection                  | Wear: Suitable respiratory equipment.            |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|            |                 |
|------------|-----------------|
| Appearance | Powder          |
| Colour     | Various/Various |

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

### 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

### General information

Dispose of in compliance with all local and national regulations.

# Floor Tile Grout

Revision 5

Revision date 2019-12-10

## SECTION 14: Transport information

### 14.1. UN number

The product is not classified as dangerous for carriage.

### 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

### 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

### 14.4. Packing group

The product is not classified as dangerous for carriage.

### 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

### 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

### Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## SECTION 16: Other information

### Other information

#### Text of Hazard Statements in Section 3

Acute Tox. 4: H332 - Harmful if inhaled.  
 STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .  
 Skin Irrit. 2: H315 - Causes skin irritation.  
 Skin Sens. 1: H317 - May cause an allergic skin reaction.  
 Eye Dam. 1: H318 - Causes serious eye damage.  
 STOT SE 3: H335 - May cause respiratory irritation.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.