


# LOW ODOUR UNIVERSAL WOOD PRESERVATIVE

Larsen Universal Wood Preservative is a ready to use triple action wood preservative which is both low odour and fast drying. It can be used to eradicate wood boring insects and their larvae, stop reinfestation and prevent damage to timber from blue stain, wet rot and dry rot. The low odour microemulsion technology penetrates deeply into the wood to give long lasting protection. Universal Wood Preservative can be used on most timber and joinery such as furniture, doors, window frames, roof timbers, floorboards, joists, rafters, fences, gates etc. It can be over painted, stained, varnished, or polished when dry if required.

**TRIPLE ACTION**  
**DEEP PENETRATING**  
**PREVENTS DRY & WET ROT**  
**KILLS WOODWORM**  
**STOPS REINFESTATION**



**TECHNICAL INFORMATION**

<b>PRODUCT INFORMATION</b>	
<b>FORM:</b>	Milky Liquid
<b>COLOUR:</b>	Dries Clear
<b>FLASH POINT:</b>	N/A Non flammable
<b>HAZARD INFORMATION:</b>	Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
<b>CLEANING:</b>	Clean tools, equipment, etc. using warm water.
<b>PACKAGING:</b>	5L
<b>STORAGE CONDITIONS:</b>	Store in sealed containers in dry conditions, protect from frost and store below 40°C. Store in a safe place away from food or feed stuffs.
<b>SHELF LIFE:</b>	Minimum 24 months in unopened manufacturer's packaging
<b>APPLICATION INFORMATION</b>	
<b>ACTIVE</b>	CONTAINS Propiconazole 7.5g/L, IPBC 2.5g/L, Permethrin 2.5g/L
<b>BS EN 335 USE CLASS :</b>	UC2 (UC3 following over-coating)
<b>APPLICATION RATE:</b>	<b>100-300ml/m<sup>2</sup></b> 1L per 3.3m <sup>2</sup> - Eradicant insecticide & preventative fungicide (rot & stain) 1L per 5m <sup>2</sup> - Preventative insecticide & preventative fungicide (rot & stain) 1L per 10m <sup>2</sup> - Preventative insecticide & preventative fungicide (rot)
<b>APPLICATION METHOD:</b>	Low pressure spray or brush
<b>APPLICATION TEMPERATURE:</b>	+5°C to +30°C
<b>DRYING TIME:</b>	1 hr
<b>OVERCOAT:</b>	24 hrs
<b>UK AUTHORISATION</b>	HSE 10132
<b>ROI AUTHORISATION</b>	PCS 98335

## DIRECTIONS FOR USE

### PREPARATION

Wood should be clean and free from wood dust, paint, varnish and other contaminants which may prevent penetration.

### APPLICATION

Apply by low pressure spray or brush at a rate of 100-300ml/m<sup>2</sup> depending on application.

As eradicant insecticide & preventative fungicide treatment against rot & stain (indoor only): Apply at 300ml/m<sup>2</sup>(1L per 3.3m<sup>2</sup>)

As a preventative insecticide & preventative fungicide against rot & stain: Apply at 200ml/m<sup>2</sup>(1L per 5m<sup>2</sup>)

As a preventative insecticide & preventative fungicide against rot: Apply at 100ml/m<sup>2</sup> (1L per 5m<sup>2</sup>).

Product is touch dry in 1 hour depending on wood and ambient conditions.

Unprotected persons and animals should be kept away from treated areas for 48 hours or until dry.

Wood can be over coated after 24hrs if dry.

### RESTRICTIONS

FOR USE ONLY AS A WOOD PRESERVATIVE.

Apply by brush or low pressure spray. Apply at a rate of 100-300ml/m<sup>2</sup>. Users must comply in full with all their legal responsibilities under The Control of Pesticide Regulations 1986 (as amended), including complying with all conditions of approval. This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed.

#### READ ALL PRECAUTIONS BEFORE USE

This material and its container must be disposed of in a safe way. Do not contaminate foodstuffs, eating utensils or food contact surfaces. Cover all water storage tanks before application. This material and its container must be disposed of in a safe way. Do not touch treated surfaces until dry. Hazardous to bees. Do not use on beehives or beekeeping equipment. Wash hands and exposed skin before meals and after use. Keep in a safe place.

### QUALITY

This product is manufactured in a plant controlled under an integrated management system third party certified to BS EN ISO 9001.