

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## Kitchen & Bathroom Silicone

Revision 6

Revision date 2017-09-20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** Kitchen & Bathroom Silicone

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC1] Adhesives, sealants; [ERC5] Industrial use resulting in inclusion into or onto a matrix;

#### 1.3. Details of the supplier of the safety data sheet


**Company** Larsen Building Products Ltd  
**Address** 4 West Bank Road  
 Belfast Harbour Industrial Estate  
 Belfast  
 BT3 9JL  
 United Kingdom  
**Web** www.larsenbuildingproducts.com  
**Telephone** +44 (0)28 9077 4000  
**Fax** +44 (0)28 9077 6945  
**Email** t.moore@larsenbuildingproducts.com

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**2.1.1. Classification - 1999/45/EC** T; R45 R10  
 Symbols: T: Toxic.  
**Main hazards** Flammable. May cause cancer.  
**2.1.2. Classification - EC 1272/2008** Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Carc. 1B: H350;

#### 2.2. Label elements

**Hazard pictograms** 

**Signal Word** Danger

**Hazard Statement** Flam. Liq. 3: H226 - Flammable liquid and vapour.  
 Skin Irrit. 2: H315 - Causes skin irritation.  
 Eye Irrit. 2: H319 - Causes serious eye irritation.  
 Carc. 1B: H350 - May cause cancer .

**Precautionary Statement: Prevention** P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.

## Kitchen &amp; Bathroom Silicone

Revision 6

Revision date 2017-09-20

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention. P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use to extinguish.
<b>Precautionary Statement: Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Gasoil - unspecified - distillates (petroleum), hydrotreated middle	649-221-00-X	64742-46-7	265-148-2			Carc. Cat. 2; R45	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Gasoil - unspecified - distillates (petroleum), hydrotreated middle	649-221-00-X	64742-46-7	265-148-2			Carc. 1B: H350;	
Triacetyl (propyl) silane		17865-07-5	241-816-9			EUH014; Skin Corr. 1A: H314;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.

## General information

	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
--	---

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Carbon oxides. Alcohol resistant foam.
--	--

## 5.2. Special hazards arising from the substance or mixture

# Kitchen & Bathroom Silicone

Revision 6

Revision date 2017-09-20

## 5.2. Special hazards arising from the substance or mixture

	. Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Eliminate all sources of ignition. Wear suitable protective equipment.
--	--

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3. Methods and material for containment and cleaning up

	Avoid raising dust. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Avoid formation of dust.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

## SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Various
Odour	Characteristic
Initial boiling point	> 300
Flash point	> 55

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

### 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## Kitchen &amp; Bathroom Silicone

Revision 6

Revision date 2017-09-20

**SECTION 11: Toxicological information**

## 11.1.4. Toxicological Information

No data available

**SECTION 12: Ecological information**

## 12.1. Toxicity

No data available

**SECTION 13: Disposal considerations**

## General information

Dispose of in compliance with all local and national regulations.

**SECTION 14: Transport information**

## Hazard pictograms



## 14.1. UN number

UN1202

## 14.2. UN proper shipping name

GAS OIL

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

## IMDG

EmS Code F-E S-E

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## Kitchen &amp; Bathroom Silicone

Revision 6

Revision date 2017-09-20

## SECTION 15: Regulatory information

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas: 14 - ADR/RID. 14 - IMDG. 14 - IATA.
Text of risk phrases in Section 3	R45 - May cause cancer.
Text of Hazard Statements in Section 3	Carc. 1B: H350 - May cause cancer . EUH014 - Reacts violently with water. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--