

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/6

## Larcote PE Pt A

Revision 7  
Revision date 2023-10-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Larcote PE Pt A
Other means of identification / UFI	UFI: 9XUS-CF9P-W99D-7K3D.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC10] Roller application or brushing; [ERC5] Industrial use resulting in inclusion into or onto a matrix;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
Address	4 West Bank Road Belfast Harbour Industrial Estate Belfast BT3 9JL United Kingdom
Web	www.larsenbuildingproducts.com
Telephone	+44 (0)28 9077 4000
Fax	+44 (0)28 9077 6945
Email	l.pyper@larsenbuildingproducts.com

#### 1.4. Emergency telephone number


Emergency telephone number	(00353) 01 809 2166
Company	National Poisons Centre of Ireland 8am-10pm 7 days a week

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Muta. 1B: H340; Carc. 1A: H350; Repr. 1B: H360Df; STOT RE 2: H373; Aquatic Chronic 2: H411;
--------------------------------------	--

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Muta. 1B: H340 - May cause genetic defects . Carc. 1A: H350 - May cause cancer .

## Larcote PE Pt A

Revision 7

Revision date 2023-10-04

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	Repr. 1B: H360Df - May damage the unborn child. Suspected of damaging fertility. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P391 - Collect spillage.
<b>Precautionary Statement: Storage</b>	P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to licensed waste disposal site

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Bisphenol A-(epichlorhydrin) (reaction product)	603-074-00-8	25068-38-6	500-033-5		20 - 30%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;
Tar					40 - 50%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Muta. 1B: H340; Carc. 1A: H350; Repr. 1B: H360Df; STOT RE 2: H373; Aquatic Chronic 2: H411;
Silica Flour		14808-60-7			10 - 20%	STOT RE 2: H373;
Bisphenol F Type Epoxy Resin		28064-14-4			1 - 10%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
Oxiran, Mono[(C12-14-alkyloxy)methyl]- derivative	603-103-00-4	68609-97-2	271-846-8		1 - 10%	Skin Irrit. 2: H315; Skin Sens. 1: H317;
Talc (Talc, respirable dust)		14807-96-6			1 - 10%	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Toxic by inhalation. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Toxic in contact with skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention.

## Larcote PE Pt A

Revision 7  
Revision date 2023-10-04

## 4.1. Description of first aid measures

Ingestion	Toxic if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.
-----------	--

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear: Self-contained breathing apparatus. Wear chemical protective clothing.
--	--

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
--	---

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
--	--

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Talc (Talc, respirable dust)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

## Larcote PE Pt A

Revision 7

Revision date 2023-10-04

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Liquid
<b>Colour</b>	Black
<b>Odour</b>	Characteristic
<b>pH</b>	Not relevant
<b>Initial boiling point</b>	Not determined
<b>Flash point</b>	Not determined
<b>Upper Explosive Limit</b>	Not determined
<b>Lower Explosive Limit</b>	Not determined
<b>Vapour pressure</b>	Not determined
<b>Relative Vapour Density</b>	Not determined
<b>Partition coefficient (n-octanol/water)</b>	Not determined
<b>Autoignition temperature</b>	Not determined
<b>Decomposition temperature</b>	Not determined
<b>Viscosity</b>	≈ 3500 cP
<b>Solubility</b>	Insoluble in water

**9.2. Other information**

<b>Specific gravity</b>	1.03 - 1.27 g/cm <sup>3</sup>
<b>VOC (Volatile organic compounds)</b>	Not determined

**SECTION 10: Stability and reactivity****10.2. Chemical stability**

	Stable under normal conditions.
--	---------------------------------

**SECTION 11: Toxicological information****11.1 Information on hazard classes**

<b>Acute toxicity</b>	May cause cancer.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	May cause genetic defects .
<b>Carcinogenicity</b>	May cause cancer.
<b>Reproductive toxicity</b>	May damage the unborn child. Suspected of damaging fertility.
<b>STOT-single exposure</b>	Not classified (Based on available data, the classification criteria are not met).
<b>STOT-repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure .

**11.1.4. Toxicological Information**

	No data available
--	-------------------

**SECTION 12: Ecological information****12.1. Toxicity**

	No data available
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**SECTION 13: Disposal considerations****General information**

	Dispose of in compliance with all local and national regulations.
--	---

## Larcote PE Pt A

Revision 7

Revision date 2023-10-04

**SECTION 14: Transport information**

## Hazard pictograms



## 14.1. UN number

UN1999

## 14.2. UN proper shipping name

TARS, LIQUID

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

## IMDG

EmS Code F-E S-E

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

**SECTION 15: Regulatory information****SECTION 16: Other information**

## Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - Other means of identification / UFI.</li> <li>1 - UFI No.</li> <li>9 - 9.1. Information on basic physical and chemical properties (PH).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flash point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).</li> </ul>
----------	---

## Larcote PE Pt A

Revision 7

Revision date 2023-10-04

## Other information

	<p>9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Viscosity).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Relative Vapour Density).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Solubility).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).</p> <p>9 - 9.2. Other information (Product Subcategory).</p> <p>9 - 9.2. Other information (Specific gravity).</p> <p>11 - Acute toxicity.</p> <p>11 - Skin corrosion/irritation.</p> <p>11 - Respiratory or skin sensitisation.</p> <p>11 - Repeated or prolonged exposure.</p> <p>11 - Germ cell mutagenicity.</p> <p>11 - Carcinogenicity.</p> <p>11 - Reproductive toxicity.</p> <p>11 - Serious eye damage/irritation.</p> <p>11 - STOT-single exposure.</p> <p>11 - STOT-repeated exposure.</p> <p>16 - Maximum content of VOC.</p>
Text of Hazard Statements in Section 3	<p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.</p> <p>Muta. 1B: H340 - May cause genetic defects .</p> <p>Carc. 1A: H350 - May cause cancer .</p> <p>Repr. 1B: H360Df - May damage the unborn child. Suspected of damaging fertility.</p> <p>STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .</p>

## Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/6

## Larcote PE Pt B

Revision 7  
Revision date 2023-10-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Larcote PE Pt B
Other means of identification / UFI	UFI: Y6JW-1F02-K992-PXYX.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC19] Hand-mixing with intimate contact and only PPE available; [ERC5] Industrial use resulting in inclusion into or onto a matrix;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
Address	4 West Bank Road Belfast Harbour Industrial Estate Belfast BT3 9JL United Kingdom
Web	www.larsenbuildingproducts.com
Telephone	+44 (0)28 9077 4000
Fax	+44 (0)28 9077 6945
Email	l.pyper@larsenbuildingproducts.com

#### 1.4. Emergency telephone number


Emergency telephone number	(00353) 01 809 2166
Company	National Poisons Centre of Ireland 8am-10pm 7 days a week

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Muta. 2: H341;
--------------------------------------	---

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Muta. 2: H341 - Suspected of causing genetic defects .

## Larcote PE Pt B

Revision 7

Revision date 2023-10-04

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	<p>P201 - Obtain special instructions before use.</p> <p>P202 - Do not handle until all safety precautions have been read and understood.</p> <p>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</p> <p>P264 - Wash thoroughly after handling.</p> <p>P270 - Do not eat, drink or smoke when using this product.</p> <p>P272 - Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p>
<b>Precautionary Statement: Response</b>	<p>P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.</p> <p>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 - IF ON SKIN: Wash with plenty of water/ .</p> <p>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313 - IF exposed or concerned: Get medical advice/attention.</p> <p>P310 - Immediately call a POISON CENTER/doctor/ .</p> <p>P321 - Specific treatment (see on this label).</p> <p>P330 - Rinse mouth.</p> <p>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P363 - Wash contaminated clothing before reuse.</p>
<b>Precautionary Statement: Storage</b>	P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to licensed waste disposal site

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Epoxy Curing Agent					80 - 90%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Eye Irrit. 2: H319; Muta. 2: H341;
2,4,6-Tris(dimethylaminomethyl)phenol	603-069-00-0	90-72-2	202-013-9		10 - 20%	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention.
<b>Skin contact</b>	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Alcohol resistant foam. Carbon oxides.
--	--

## 5.2. Special hazards arising from the substance or mixture



## Larcote PE Pt B

Revision 7

Revision date 2023-10-04

## 5.2. Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

## SECTION 8: Exposure controls/personal protection

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

## 8.2.2. Individual protection measures

Wear chemical protective clothing.

## Eye / face protection

Approved safety goggles.

## Skin protection - Handprotection

Chemical resistant gloves (PVC).

## Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless
<b>Odour</b>	Characteristic
<b>pH</b>	Not relevant
<b>Initial boiling point</b>	Not determined
<b>Flash point</b>	Not determined
<b>Upper Explosive Limit</b>	Not determined
<b>Lower Explosive Limit</b>	Not determined
<b>Vapour pressure</b>	Not determined
<b>Relative Vapour Density</b>	Not determined
<b>Partition coefficient (n-octanol/water)</b>	Not determined
<b>Autoignition temperature</b>	Not determined
<b>Decomposition temperature</b>	Not determined
<b>Viscosity</b>	≈ 405 cP
<b>Solubility</b>	Insoluble in water

## Larcote PE Pt B

Revision 7

Revision date 2023-10-04

## 9.2. Other information

Specific gravity	0.909 - 1.111 g/cm <sup>3</sup>
VOC (Volatile organic compounds)	Not determined

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Suspected of causing genetic defects .
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met).
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met).
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met).
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met).

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN3082

## 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9

## Larcote PE Pt B

Revision 7

Revision date 2023-10-04

## 14.3. Transport hazard class(es)

Subsidiary risk	-
-----------------	---

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

## ADR/RID

Hazard ID	90
Tunnel Category	(E)

## IMDG

EmS Code	F-A S-F
----------	---------

## IATA

Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L

## SECTION 15: Regulatory information

## SECTION 16: Other information

## Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - Other means of identification / UFI.</li> <li>1 - UFI No.</li> <li>9 - 9.1. Information on basic physical and chemical properties (PH).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flash point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Viscosity).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Relative Vapour Density).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Solubility).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).</li> <li>9 - 9.2. Other information (Product Subcategory).</li> <li>9 - 9.2. Other information (Specific gravity).</li> <li>11 - Acute toxicity.</li> <li>11 - Skin corrosion/irritation.</li> <li>11 - Respiratory or skin sensitisation.</li> <li>11 - Germ cell mutagenicity.</li> <li>11 - Carcinogenicity.</li> <li>11 - Reproductive toxicity.</li> <li>11 - Serious eye damage/irritation.</li> <li>11 - STOT-single exposure.</li> <li>11 - STOT-repeated exposure.</li> </ul>
----------	--

## Larcote PE Pt B

Revision 7

Revision date 2023-10-04

## Other information

<b>Text of Hazard Statements in Section 3</b>	16 - Maximum content of VOC. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Muta. 2: H341 - Suspected of causing genetic defects . Skin Irrit. 2: H315 - Causes skin irritation.
---	---

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--