

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

Easy Foam Cleaner

Revision 3
Revision date 2019-11-19

SECTION 1: Ident	tification of the substance	e/mixture and of the	company/undertaking

1.1. Product identifier

Product name Easy Foam Cleaner

1.3. Details of the supplier of the safety data sheet

Company Larsen Building Products Ltd

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email t.moore@larsenbuildingproducts.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Eye Irrit. 2:
1272/2008	

Eye Irrit. 2: H319; STOT SE 3: H336;

2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary Statement:

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Response

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Precautionary Statement:

Storage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to

Revision 3
Revision date 2019-11-19

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Acetone	606-001-00-8	67-64-1	200-662-2			Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.	
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.	
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.	

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerable distance to source of ignition and flash back.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision 3 Revision date 2019-11-19

8.1.1. Exposure Limit Values

Easy Foam Cleaner (Acetone)	WEL 8-hr limit ppm: 500	WEL 8-hr limit mg/m3: 1210
	WEL 15 min limit ppm: 1500	WEL 15 min limit mg/m3: 3620
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Respiratory protection

Approved safety goggles.

Skin protection -Handprotection

Chemical resistant gloves (PVC).

Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol Colour Colourless Odour Characteristic 4.2mbar @20C Vapour pressure

Autoignition temperature

>250

Water solubility

Slightly soluble in water.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents.

10.4. Conditions to avoid

Heat, sparks and open flames.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms

Revision 3
Revision date 2019-11-19

Hazard pictograms



14.1. UN number

UN1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

ADR/RID 2

Subsidiary risk see SP63

IMDG 2

Subsidiary risk see SP63

IATA

Subsidiary risk see SP63

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards

Marine pollutant

No No

ADR/RID

Hazard ID
Tunnel Category

(D)

IMDG

EmS Code

F-D S-U

IATA

Packing Instruction (Cargo)

Maximum quantity

203 150 kg

Packing Instruction

203

(Passenger)

Maximum quantity

75 kg

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

EUH066 - Repeated exposure may cause skin dryness or cracking.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Further information

Revision 3 Revision date 2019-11-19

Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		