

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/4

Concentrated Mortar Plasticiser

Revision 8 Revision date 2020-07-30

1.1. Product identifier

Draduat name	Concentrated Marter Diagticioes
Product name	I Concentrated Mortar Plasticiser

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2. Note valid definited uses of the substance of mixture and uses advised against			
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,		
	craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC5] Mixing or blending in		
	batch processes for formulation of preparations and articles (multistage and/or significant contact);		
	[ERC3] Formulation in materials;		

1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
---------	------------------------------

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL United Kingdom

Web www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email t.moore@larsenbuildingproducts.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2.	Classification - EC
1272/	2008

Skin Irrit. 2: H315; Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

Warning

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary Statement:

Prevention

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Pooponoo

Response

P302+P352 - IF ON SKIN: Wash with plenty of water/ .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Concentrated Mortar Plasticiser

Revision 8 Revision date 2020-07-30

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium Alkyl Ethoxy Sulphate 279	6	68585-34-2	221-416-0			Skin Irrit. 2: H315; Eye Irrit. 2:
Aqueous Solution						H319;

Further information

CONTAINS: A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers

SECTION 8: Exposure controls/personal protection

Concentrated Mortar Plasticiser

Revision 8 Revision date 2020-07-30

8.1. Control parameters

8.1.1. Exposure Limit Values

Diethylene glycol (2,2'-Oxydiethanol)	WEL 8-hr limit ppm: 23	WEL 8-hr limit mg/m3: 101
(2,2 Oxyaloulariol)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Formaldehyde%	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit ppm: 2	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: WEL 8-hr limit mg/m3: 2.5
(Formaldehyde)	WEL 15 min limit ppm: 2	WEL 15 min limit mg/m3: 2.5
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
COTITOIS	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Brown
Odour	Characteristic
pH	9 - 11
Initial boiling point	
	Not applicable.
Relative density	
Solubility	Soluble in water

9.2. Other information

Specific gravity 1 - 1.1 g/cm³

Water solubility

Soluble in water.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

Concentrated Mortar Plasticiser

Revision 8 Revision date 2020-07-30

12.1. Toxicity

12.1. TOXICITY		
	No data available	
SECTION 13: Disposal considerations		
General information		
	Dispose of in compliance with all local and national regulations.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage.	
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
Further information	Т	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		

SECTION	16: Other	information
---------	-----------	-------------

△4 b~=	:-f	nation
umer	Intorn	nation

Revision	This document differs from the previous version in the following areas:.	
	8 - Respiratory protection.	
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	