

LINE MARKING PAINT



Larsen Line Marking Paint is a blend of high quality pigments, resins, hardeners and fast-drying solvents, supplied in an easy to use aerosol dispenser. Larsen Line Marking Paint can be applied both by hand as a spot marker or used in conjunction with a line marking applicator. It is available in a range of colours.



EASY TO APPLY
ROAD MARKING SYSTEM
FAST DRYING
HIGH COLOUR PIGMENT
UV STABLE

TECHNICAL INFORMATION:

PRODUCT INFORMATION	
FORM:	Aerosol Paint
COLOURS:	White, Yellow, Red, Blue
HAZARD INFORMATION:	IRRITANT- Flammable - Consult Safety Datasheet before use.
CLEANING:	May be cleaned off most surfaces and tools with thinners etc. Mechanical means are necessary when the product has set.
PACKAGING:	750ml Aerosol cans
STORAGE CONDITIONS:	Store in sealed containers protected from extremes of temperature (not greater than 50°C), out of direct sunlight and away from sources of ignition. Do not pierce or burn even after use.
SHELF LIFE:	Minimum 24 months in unopened manufacturer's packaging in good storage
APPLICATION INFORMATION	
TOUCH DRY:	30 min
FULL CURE:	24 hrs
COVERAGE:	75 – 100 metres x 50 mm width

DIRECTIONS FOR USE:

PREPARATION

Ensure all substrates are clean and free from contamination. Substrates must be completely dry.

DIRECTIONS

Shake can vigorously until shaker balls move, then shake for a further 30 seconds. The nearer the aerosol spray is to the ground, the more accurate and denser the line. After use, clear the nozzle by spraying in the upright position.

Apply by hand as a spot marker or in conjunction with a line marking applicator.

IMPORTANT NOTE

Line Marking Paint is IRRITANT and EXTREMELY FLAMMABLE – Consult container and/or MSDS before use.