

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/6

Water Repel

Revision Revision date 2023-11-22

SECTION 1: Identification of the substance/mix	ture and of the company/undertaking
--	-------------------------------------

1.1. Product identifier

Product name
Other means of identification /
UFI

Water Repel

UFI: TRVH-CMX1-NA97-SVUP.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC10] Roller application or
	brushing: [ERC5] Industrial use resulting in inclusion into or onto a matrix:

1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
---------	------------------------------

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

Telephone +44 (0)28 9077 4000 Fax +44 (0)28 9077 6945

Email I.pyper@larsenbuildingproducts.com

1.4. Emergency telephone number

Emergency telephone number (00353) 01 809 2166

Company

National Poisons Centre of Ireland

8am-10pm 7 days a week


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2.	Classification - EC
1272/	2008

Flam. Liq. 3: H226; Asp. Tox. 1: H304;

2.2. Label elements





Signal Word

Danger

Hazard Statement

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Precautionary Statement:

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

Revision 7 Revision date 2023-11-22

2.2. Label elements

Precautionary Statement: Response	P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to comply with local and national regulations

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Straight run kerosine - solvent naphtha (petroleum), medium aliph	649-405-00-X	64742-88-7	265-191-7		80 - 90%	6 Asp. Tox. 1: H304;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean

Revision Revision date 2023-11-22

6.3. Methods and material for containment and cleaning up

spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Wear protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
------------	--------

Colour Colourless to straw yellow

No data available

Odour

pН

Characteristic

Initial boiling point 168 °C

Flash point 48 °C

Upper Explosive Limit 6.4 %

Lower Explosive Limit 0.9 %

Vapour pressure

230 Pa

Relative Vapour Density

No data available

Partition coefficient

No data available

(n-octanol/water)

Autoignition temperature 515 °C

Decomposition temperature No data available

Viscosity

No data available

Solubility

Slightly soluble in water

9.2. Other information

Specific gravity

0.88 g/cm³

VOC (Volatile organic compounds) No data available

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes

May be fatal if swallowed and enters airways. Acute toxicity

Revision 7 Revision date 2023-11-22

11.1	Information	on hazard	classes
------	-------------	-----------	---------

Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met).
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met).
Respiratory or skin sensitisation	May cause drowsiness or dizziness. May cause sensitisation by inhalation. May cause sensitisation by skin contact.
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met).
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met).
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met).
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met).
STOT-repeated exposure	Repeated exposure may cause skin dryness or cracking.
44 4 4 7 1 1 1 1 1 6 0	

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1300

14.2. UN proper shipping name

TURPENTINE SUBSTITUTE

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards No Marine pollutant No

ADR/RID

Hazard ID 30
Tunnel Category (D/E)

Revision 7 Revision date 2023-11-22

IMDG		
EmS Code	F-E S-E	
IATA		
Packing Instruction (Cargo)	366	
Maximum quantity	220 L	
Packing Instruction (Passenger)	355	
Maximum quantity	60 L	
SECTION 15: Regulatory information		

SECTION 16: Other information

Other information	
Other information Revision	This document differs from the previous version in the following areas:. 1 - Other means of identification / UFI. 2 - 2.1. Classification of the substance or mixture. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 9 - 9.1. Information on basic physical and chemical properties (PH). 9 - 9.1. Information on basic physical and chemical properties (Initial boiling point). 9 - 9.1. Information on basic physical and chemical properties (Flash point). 9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature). 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure). 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).
	 9 - 9.1. Information on basic physical and chemical properties (Viscosity). 9 - 9.1. Information on basic physical and chemical properties (Relative Vapour Density). 9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit). 9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature). 9 - 9.1. Information on basic physical and chemical properties (Solubility). 9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)). 9 - 9.2. Other information (Product Subcategory). 9 - 9.2. Other information (Specific gravity). 11 - Respiratory or skin sensitisation.
	11 - Germ cell mutagenicity. 11 - Carcinogenicity. 11 - Reproductive toxicity. 11 - Serious eye damage/irritation. 11 - STOT-single exposure. 11 - STOT-repeated exposure. 12 - 12.1. Toxicity. 15 - Labelling. 15 - Risk phrases.

Text of Hazard Statements in Section 3

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

15 - Safety phrases.

16 - Maximum content of VOC.

Revision 7 Revision date 2023-11-22

Further information			
		The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in	
		combination with any other materials or in any other process.	