

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/6

# **Larseal Super**

Revision 7 Revision date 2023-10-25

#### 1.1. Product identifier

Produ	ct name
Other	means of identification /
UFI	

Larseal Super

UFI: C21T-QFQH-9993-W2AY.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

matrix;

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
	craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC19] Hand-mixing with
	intimate contact and only PPE available; [ERC5] Industrial use resulting in inclusion into or onto a

# 1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
---------	------------------------------

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL United Kingdom

www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email I.pyper@larsenbuildingproducts.com

#### 1.4. Emergency telephone number

Emergency telephone number

(00353) 01 809 2166

Company

Web

National Poisons Centre of Ireland 8am-10pm 7 days a week

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC
1272/2008

Acute Tox. 4: H312; Skin Irrit. 2: H315; Acute Tox. 4: H332;

#### 2.2. Label elements

#### Hazard pictograms



Signal Word

**Hazard Statement** 

Warning

Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Irrit. 2: H315 - Causes skin irritation. Acute Tox. 4: H332 - Harmful if inhaled.

Revision 7 Revision date 2023-10-25

#### 2.2. Label elements

Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to appropriate waste disposal site

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Xylene (Xylene, o-,m-,-p-or mixed	601-022-00-9	1330-20-7	215-535-7		70 - 80%	Flam. Liq. 3: H226; Acute
isomers)						Tox. 4: H332; Acute Tox. 4:
Air Release Additve					0 0.5%	H312; Skin Irrit. 2: H315; Flam. Lig. 3: H226; Asp. Tox.
All Nelease Additive					0 - 0.5 /6	1: H304; STOT SE 3: H335;
						STOT SE 3: H336; Aquatic
						Chronic 2: H411;

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.
Good as appropriate. Carbon dioxide (GGZ), Bry Grieffical, Foath.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

#### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Revision 7 Revision date 2023-10-25

#### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Xylene (Xylene, o-,m-,-p-or mixed isomers)	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 220
ŕ	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 441
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

#### 8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Wear protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
pH	Not relevant
Initial boiling point	Not determined
Flash point	Not determined
Upper Explosive Limit	Not determined
Lower Explosive Limit	Not determined
Vapour pressure	Not determined
Relative Vapour Density	Not determined
Partition coefficient	Not determined
(n-octanol/water)	
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Viscosity	Not relevant
Solubility	Insoluble in water

Revision Revision date 2023-10-25

#### 9.2. Other information

Specific gravity VOC (Volatile organic compounds)

0.87 - 0.97 g/cm<sup>3</sup> Not determined

### SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

Stable under normal conditions

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes

Acute toxicity	Harmful by inhalation and in contact with skin.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met).	
Respiratory or skin	Not classified (Based on available data, the classification criteria are not met).	
sensitisation		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met).	
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met).	
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met).	
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met).	
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met).	
11.1.4. Toxicological Information		

#### 11.1.4. Toxicological Information

No data available

# SECTION 12: Ecological information

#### 12.1. Toxicity

No data available

# **SECTION 13: Disposal considerations**

#### General information

Dispose of in compliance with all local and national regulations.

### **SECTION 14: Transport information**

### Hazard pictograms



#### 14.1. UN number

UN1307

# 14.2. UN proper shipping name

**XYLENES** 

#### 14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	3
Subsidiary risk	
IATA	3

Revision 7 Revision date 2023-10-25

	Nevision date 2025-10-20	
14.3. Transport hazard class(es	)	
Subsidiary risk	-	
14.4. Packing group		
Packing group	III	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	30	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-D	
IATA		
Packing Instruction (Cargo)	366	
Maximum quantity	220 L	
Packing Instruction	355	
(Passenger)		
Maximum quantity	60 L	
SECTION 15: Regulatory information		

# **SECTION 16: Other information**

Other information		
Revision	This document differs from the previous version in the following areas:.  1 - Other means of identification / UFI.  9 - 9.1. Information on basic physical and chemical properties (Colour).  9 - 9.1. Information on basic physical and chemical properties (PH).  9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).  9 - 9.1. Information on basic physical and chemical properties (Flash point).  9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).  9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).  9 - 9.1. Information on basic physical and chemical properties (Viscosity).  9 - 9.1. Information on basic physical and chemical properties (Relative Vapour Density).  9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).  9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).  9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).  9 - 9.1. Information on basic physical and chemical properties (Pocomposition temperature).  9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).  9 - 9.2. Other information (Product Subcategory).  9 - 9.2. Other information (Specific gravity).  1 - Skin corrosion/irritation.  11 - Respiratory or skin sensitisation.  11 - Germ cell mutagenicity.  11 - Skin corrosion/irritation.  12 - Reproductive toxicity.  13 - Serious eye damage/irritation.  14 - Serious eye damage/irritation.  15 - STOT-single exposure.  16 - STOT-repeated exposure.	

Revision 7 Revision date 2023-10-25

Other information		
	11 - Aspiration hazard. 16 - Maximum content of VOC.	
Text of Hazard Statements in Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour.  Acute Tox. 4: H312 - Harmful in contact with skin.  Skin Irrit. 2: H315 - Causes skin irritation.  Acute Tox. 4: H332 - Harmful if inhaled.  Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  STOT SE 3: H335 - May cause respiratory irritation.  STOT SE 3: H336 - May cause drowsiness or dizziness.  Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	