

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/6

## **Exterior Wood Stain and Preserver**

Revision 3 **Revision date** 2023-08-30

SECTION 1: Identification of the substance/mixture and o	of the company/undertaking
--	----------------------------

#### 1.1. Product identifier

Dun dun de manna

Product name	
Other means of	identification /
UFI	

Exterior Wood Stain and Preserver

UFI: V8KT-XFRW-J992-6AVV.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
craftsmen); [SU19] Building and construction work; [PC0] Other; [PROC10] Roller a	
	brushing: [FRC5] Industrial use resulting in inclusion into or onto a matrix:

### 1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
---------	------------------------------

**Address** 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

Telephone +44 (0)28 9077 4000 Fax +44 (0)28 9077 6945

**Email** I.pyper@larsenbuildingproducts.com

## 1.4. Emergency telephone number

Emergency telephone number

(00353) 01 809 2166

Company

National Poisons Centre of Ireland

8am-10pm 7 days a week

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2.	Classification - EC
1272/	2008

: EUH066; Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT RE 2: H373;

### 2.2. Label elements

## Hazard pictograms







# Signal Word

#### **Hazard Statement**

Danger

EUH066 - Repeated exposure may cause skin dryness or cracking.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Dam. 1: H318 - Causes serious eye damage.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .

Revision 3 Revision date 2023-08-30

## 2.2. Label elements

Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/. P302+P352 - IF ON SKIN: Wash with plenty of water/. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. P314 - Get medical advice/attention if you feel unwell. P321 - Specific treatment (see on this label). P331 - Do NOT induce vomiting. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.	
Precautionary Statement: Storage	P405 - Store locked up.	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to appropriate waste disposal site	

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
D60					60 - 70%	: EUH066; Asp. Tox. 1:
						H304;
Alkyd Resin Polymer					10 - 20%	
Biocidal Agent					1 - 10%	Skin Sens. 1: H317; Eye
						Dam. 1: H318; Acute Tox. 4:
						H332; STOT RE 1: H372;
2-(2-Butoxyethoxy)ethanol (2-	603-096-00-8	112-34-5	203-961-6		1 - 10%	Eye Irrit. 2: H319;
(2-Butoxyethoxy) ethanol)						
Calcium 5%					0.5 - 1%	: EUH066; Eye Dam. 1:
						H318; Repr. 2: H361d;
Tebuconazole					0.5 - 1%	Repr. 2: H361; Aquatic Acute
						1: H400;
Borchers Dry					0 - 0.5%	Acute Tox. 4: H302; Skin Irrit.
						2: H315; Carc. 2: H351;
Preservative Agent					0 - 0.5%	Asp. Tox. 1: H304; Skin
						Sens. 1: H317; STOT SE 3:
						H335; STOT SE 3: H336;

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

-	Inhalation	Toxic by inhalation. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.	
	Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
	Skin contact	Toxic in contact with skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention.	
	Ingestion	Toxic if swallowed. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.	

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Revision 3 Revision date 2023-08-30

5.1 Extinguishing modic			
5.1. Extinguishing media	Carbon ovides Alaskal resistant factor		
F.2. Choolel borondo anisino from	Carbon oxides. Alcohol resistant foam.		
5.2. Special hazards arising from		in the second se	
FO Addis to Sufficient	Burning produces irritating, toxic and obnor	xious tumes.	
5.3. Advice for firefighters			
	Wear:. Self-contained breathing apparatus	. Wear chemical protective clothing.	
SECTION 6: Accidental release	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Ensure adequate ventilation of the working protective equipment.	area. Evacuate personnel to a safe area. Wear suitable	
6.2. Environmental precautions			
	Do not allow product to enter drains. Preve	ent further spillage if safe.	
6.3. Methods and material for co	ntainment and cleaning up		
	Absorb with inert, absorbent material. Tran spillage area thoroughly with plenty of water	sfer to suitable, labelled containers for disposal. Clean er.	
SECTION 7: Handling and si	torage		
7.1. Precautions for safe handling	g		
	Avoid contact with eyes and skin. Ensure a	dequate ventilation of the working area.	
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
8.1.1. Exposure Limit Values			
2-(2-Butoxyethoxy)ethanol (2-	WEL 8-hr limit ppm: 10	WEL 8-hr limit mg/m3: 67.5	
(2-Butoxyethoxy) ethanol)	WEL 15 min limit ppm: 15	WEL 15 min limit mg/m3: 101.2	
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -	
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -	
	respirable dust:	respirable dust:	
8.2. Exposure controls			
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working	area.	
8.2.2. Individual protection measures	Wear chemical protective clothing.		
Eye / face protection	Approved safety goggles.		
Skin protection - Handprotection	Chemical resistant gloves (PVC).		
Respiratory protection	Self-contained breathing apparatus must b	e used in handling.	
SECTION 9: Physical and ch	emical properties		

Revision 3 Revision date 2023-08-30

### 9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Various Odour Characteristic Not determined pН Initial boiling point Not determined Flash point Not determined **Upper Explosive Limit** Not determined Lower Explosive Limit Not determined Vapour pressure Not determined **Relative Vapour Density** Not determined Partition coefficient Not determined (n-octanol/water) Autoignition temperature Not determined Decomposition temperature Not determined Viscosity Not determined Solubility Soluble in water

### 9.2. Other information

Specific gravity
VOC (Volatile organic compounds)

0.77 - 0.944 g/cm<sup>3</sup>

Not determined

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

Stable under normal conditions.

# SECTION 11: Toxicological information

### 11.1 Information on hazard classes

Acute toxicity	May be fatal if swallowed and enters airways.		
Skin corrosion/irritation	Not classified (Based on available data, the classification criteria are not met).		
Serious eye damage/irritation	Causes serious eye damage.		
Respiratory or skin	EUH066 - Repeated exposure may cause skin dryness or cracking. May cause an allergic skin		
sensitisation	reaction.		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met).		
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met).		
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met).		
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met).		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure .		

# 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations.

# SECTION 14: Transport information

Revision 3 Revision date 2023-08-30

### 14.1. UN number

	The product is not classified as dangerous for carriage.			
14.2. UN proper shipping name				
	The product is not classified as dangerous for carriage.			
14.3. Transport hazard class(es)				
	The product is not classified as dangerous for carriage.			
14.4. Packing group				
	The product is not classified as dangerous for carriage.			
14.5. Environmental hazards				
	The product is not classified as dangerous for carriage.			
14.6. Special precautions for user				
	The product is not classified as dangerous for carriage.			
14.7 Maritime Transport in bulk according to IMO instruments				
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory inf	SECTION 15: Regulatory information			

## SECTION 16: Other information

SECTION 16: Other information					
Other information					
Revision	This document differs from the previous version in the following areas:.				
	1 - Other means of identification / UFI.				
	9 - 9.1. Information on basic physical and chemical properties (PH).				
	9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).				
	9 - 9.1. Information on basic physical and chemical properties (Flash point).				
	9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).				
	9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).				
	9 - 9.1. Information on basic physical and chemical properties (Viscosity).				
	9 - 9.1. Information on basic physical and chemical properties (Relative Vapour Density).				
	9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).				
	9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).				
	9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).				
	9 - 9.1. Information on basic physical and chemical properties (Solubility).				
	9 - 9.1. Information on basic physical and chemical properties (Partition coefficient				
	(n-octanol/water)).				
	9 - 9.2. Other information (Product Subcategory).				
	9 - 9.2. Other information (Specific gravity).				
	11 - Acute toxicity.				
	11 - Skin corrosion/irritation.				
	11 - Respiratory or skin sensitisation.				
	11 - Germ cell mutagenicity.				
	11 - Carcinogenicity.				
	11 - Reproductive toxicity.				
	11 - Serious eye damage/irritation.				
	11 - STOT-single exposure.				
	11 - STOT-repeated exposure.				
	16 - Maximum content of VOC.				
Text of Hazard Statements in	EUH066 - Repeated exposure may cause skin dryness or cracking.				
Section 3	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.				
	Skin Sens. 1: H317 - May cause an allergic skin reaction.				
	Eye Dam. 1: H318 - Causes serious eye damage.				

Revision 3 Revision date 2023-08-30

Other information	
	Acute Tox. 4: H332 - Harmful if inhaled.
	STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Repr. 2: H361d - Suspected of damaging the unborn child.
	Repr. 2: H361 - Suspected of damaging fertility or the unborn child .
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Carc. 2: H351 - Suspected of causing cancer.
	STOT SE 3: H335 - May cause respiratory irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.