

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/5

# **Easy Foam Cleaner**

Revision 5 Revision date 2023-11-22

#### 1.1. Product identifier

Draduct name	Eggy Eggm Clagner
Product name	l Easv Foam Cleaner

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Product Use**

[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU19] Building and construction work; [PC35] Washing and cleaning products (including solvent based products); [PROC11] Non industrial spraying; [ERC8c] Wide dispersive indoor use resulting in inclusion into or onto a matrix;

#### 1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
---------	------------------------------

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email I.pyper@larsenbuildingproducts.com

#### 1.4. Emergency telephone number

# Emergency telephone number

Company

(00353) 01 809 2166

National Poisons Centre of Ireland

8am-10pm 7 days a week

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. C	Classification	-	EC
1272/20	ากล		

: EUH066; Eye Irrit. 2: H319; STOT SE 3: H336;

#### 2.2. Label elements

#### Hazard pictograms



#### Signal Word

Hazard Statement

#### Warning

EUH066 - Repeated exposure may cause skin dryness or cracking.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

**Precautionary Statement:** 

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

Revision 5 Revision date 2023-11-22

#### 2.2. Label elements

	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.	
Storage	P405 - Store locked up.	
Precautionary Statement:	P501 - Dispose of contents/container to comply with local and national regulations	
Disposal	•	

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Acetone	606-001-00-8	67-64-1	200-662-2		80 - 90%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

		Carbon oxides.	
	5.2. Special hazards arising from the substance or mixture		
•		Highly flammable. Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerable distance to source of ignition and flash back.	

#### 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.

# 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

# SECTION 7: Handling and storage

Revision 5 Revision date 2023-11-22

#### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Easy Foam Cleaner (Acetone)	WEL 8-hr limit ppm: 500	WEL 8-hr limit mg/m3: 1210
	WEL 15 min limit ppm: 1500	WEL 15 min limit mg/m3: 3620
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

#### 8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Wear suitable respiratory equipment when necessary.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance	Aerosol
Colour	Colourless
Odour	Aromatic
pН	No data available
Initial boiling point	No data available
Flash point	No data available
Upper Explosive Limit	1.8 %
Lower Explosive Limit	13 %
Vapour pressure	4.2mbar @20C
Relative Vapour Density	No data available
Partition coefficient	No data available
(n-octanol/water)	
Autoignition temperature	>250
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	Extremely flammable aerosol
Solubility	Slightly soluble in water

#### 9.2. Other information

Specific gravity	No data available
VOC (Volatile organic	No data available
compounds)	

Revision 5
Revision date 2023-11-22

Water solubility

Slightly soluble in water.

# SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Oxidising agents.

#### 10.4. Conditions to avoid

Heat, sparks and open flames.

# **SECTION 11: Toxicological information**

#### 11.1.4. Toxicological Information

Easy Foam Cleaner Oral Rat LD50: >5000mg/kg bw
--

# SECTION 12: Ecological information

#### 12.1. Toxicity

No data available

## **SECTION 13: Disposal considerations**

#### General information

Dispose of in compliance with all local and national regulations

# SECTION 14: Transport information

#### Hazard pictograms



# 14.1. UN number

UN1950

#### 14.2. UN proper shipping name

**AEROSOLS** 

see SP63

#### 14.3. Transport hazard class(es)

ADR/RID	2
Subsidiary risk	see SP63
IMDG	2
Subsidiary risk	see SP63
IATA	2

# 14.4. Packing group

Subsidiary risk

ADR/RID

Packing group

#### 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

Copyright © 2023 ChemSoft. All rights reserved.

Revision 5 Revision date 2023-11-22

ADR/RID		
Hazard ID	-	
Tunnel Category	(D)	
IMDG		
EmS Code	F-D S-U	
IATA		
Packing Instruction (Cargo)	203	
Maximum quantity	150 kg	
Packing Instruction	203	
(Passenger)		
Maximum quantity	75 kg	
Further information		
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		

SECTION 16: Other information		
Other information		
Revision	This document differs from the previous version in the following areas:. 2 - Precautionary Statement: Disposal.	
Text of Hazard Statements in Section 3	EUH066 - Repeated exposure may cause skin dryness or cracking. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	