

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/5

Impregnating Sealer

Revision 8 Revision date 2023-11-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dun desat manne

Product name
Other means of identification /
UFI

Impregnating Sealer

YSQH-0MW0-VA9J-E2W3.

1.3. Details of the supplier of the safety data sheet

Company Larsen Building Products Ltd

Address 4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL

United Kingdom

Web www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email I.pyper@larsenbuildingproducts.com

1.4. Emergency telephone number

Emergency telephone number

Company

(00353) 01 809 2166

National Poisons Centre of Ireland

8am-10pm 7 days a week

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Asp. Tox. 1: H304;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Precautionary Statement:

P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P331 - Do NOT induce vomiting.

Response

P405 - Store locked up.

Precautionary Statement:

Precautionary Statement:

Storage

Disposal

P501 - Dispose of contents/container to comply with local and national regulations

SECTION 3: Composition/information on ingredients

Revision 8
Revision date 2023-11-22

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Straight run kerosine - solvent naphtha (petroleum), medium aliph.	649-405-00-X	64742-88-7	265-191-7		90 - 100%	Asp. Tox. 1: H304;
Water Repelling Agent					1 - 10%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT RE 2: H373;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

Revision 8 Revision date 2023-11-22

8.2. Exposure controls

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection -Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Wear protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour

Colourless

Odour

Solvent

рΗ Not applicable.

Initial boiling point

Not determined

Flash point

Not determined

Upper Explosive Limit

Not determined

Lower Explosive Limit

Not determined

Vapour pressure

Not determined

Relative Vapour Density

Not determined

Decomposition temperature

Viscosity

Not determined Not determined

Solubility

Immiscible in water

9.2. Other information

Specific gravity

0.79 - 0.81 g/cm³

VOC (Volatile organic compounds Not determined

Water solubility

Insoluble in water.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity Skin corrosion/irritation May be fatal if swallowed and enters airways.

Not classified (Based on available data, the classification criteria are not met).

Serious eye damage/irritation Respiratory or skin

Not classified (Based on available data, the classification criteria are not met).

May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.

sensitisation

Not classified (Based on available data, the classification criteria are not met).

Germ cell mutagenicity Carcinogenicity

Not classified (Based on available data, the classification criteria are not met).

Reproductive toxicity

Not classified (Based on available data, the classification criteria are not met).

STOT-single exposure

Not classified (Based on available data, the classification criteria are not met).

Repeated or prolonged

exposure

Causes damage to organs through prolonged or repeated exposure.

11.1.4. Toxicological Information

No data available

Revision 8 Revision date 2023-11-22

SECTION	12:	Ecological	information
---------	-----	-------------------	-------------

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1993

14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	_

14.4. Packing group

Packing group	Ш
racking group	1111

14.5. Environmental hazards

Environmental hazards	
Marine pollutant	No

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-E

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

SECTION 15: Regulatory information

Revision 8
Revision date 2023-11-22

SECTION 16: Other information

Other	information
-------	-------------

Revision This document differs from the previous version in the following areas:. 2 - 2.1. Classification of the substance or mixture. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 15 - Labelling. 15 - Risk phrases. 15 - Safety phrases. Text of Hazard Statements in Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Section 3 Flam. Liq. 3: H226 - Flammable liquid and vapour. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.