

PRODUCTS THAT PERFORM

BUILDERS MERCHANT PRODUCT CATALOGUE

Larsen Building Products, as part of the Larsen group of companies, has been manufacturing quality building products since establishment in 1975.

Our primary objective is to provide our customers with the best level of service and support that is expected. Our comprehensive range of products reflect the demands facing the construction sector, with product quality and performance key to our belief.



BUILDING PRODUCTS



PRODUCTS AND SERVICE



BUILDING PRODUCTS













New Product Development

New product development is our mantra. The requirements of our markets and customers are of paramount importance to Larsen and so we push ourselves constantly to improve our product portfolio. All of the R&D work is focused on delivering quality products and value for money whilst keeping a watchful eye on decreasing environmental impact. At our state-of-the-art facilities our chemists rigorously research, formulate and test the next generation of products and constantly strive for continuous improvement.

Customer Service

At Larsen we believe in speaking with our customers directly. Our highly trained sales support team will deal with your order or query with the same level of professionalism. They will ensure you are provided with accurate and pertinent information, that your call is handled competently and to your complete satisfaction.

Logistics

From our manufacturing plant we offer a 48 hour delivery service to anywhere in the British Isles. We can arrange site deliveries to reduce handling and improve efficiency.

Technical and Site Support

With our first class technical back-up and support team we can assist our customers with specification, recommendations and offer a product solution.

Manufacturing Excellence


With all products manufactured under an ISO9001 quality system and with our plant certified to ISO14001, it is clear that we take both our product quality and environmental responsibilities seriously.

WEALTH OF EXPERIENCE










BUILDING PRODUCTS





The Larsen name has become synonymous with experience and technical knowledge borne out of 40 plus years of product innovation across our divisions.

This reputation for expertise continues to grow and our commitment to providing helpful advice and technical support is the hallmark of what Larsen is renowned for within the construction sector.

Technical support:

www.larsenbuildingproducts.com/asktheexperts

STOCK AVAILABLE NATIONWIDE

From adhesives through to grouts, from preparation to finish, you can rely on Larsen with confidence. Look out for your approved local Larsen stockist.

Larsen has built up an enviable distribution network covering Ireland and the UK with both major builders merchants and specialist independent stockists.









STRONG IN-STORE PRESENCE



A strong shelf presence and visual impact is achieved with our distinctive packaging and we provide a range of point-of-sale options to punch home our key messages throughout our product ranges. We are proactive in helping you to stimulate sales and have invested heavily in our presentation to enhance your environment for your customers.



TALK TO YOUR





OUR LOCAL SUPPLY CHAIN CONTRIBUTES

OVER 70% OF OUR RAW MATERIALS STATE-OF-THE-ART POWDER PLANT CAN PRODUCE

2,000

BAGS
PER

LARSEN

ISO 90012	TED
ISO 14001	REDI
QUALITY	

LARGEST MANUFACTURER OF BUILDERS MERCHANTS PRODUCTS IN IRELAND

OFFICES AND PRODUCTION FACILITIES IN **BELFAST** & **DUBLIN**

IN-HOUSE LABORATORIES & PACILITIES

ALL BATCHES ARE ELECTRONICALLY RECORDED

& EACH AND EVERY BATCH IS TESTED

RETAINED SAMPLES ARE

VERY EROM FACE RATCH

WOOD CARE	15
TILING	19
FLOORING	25
PRIME & BOND	29
ADMIXTURES	33
CLEAN & SEAL	37
PAINTS & SEALERS	41
MORTARS	45
CIVII S & REPAIR	10

BITUMEN & ROOFING

SEALANTS & FOAMS

53

57

PROTIM 265 WOOD PRESERVATIVE

- ready to use
- solvent based
- prevents rot
- prevents insect attack
- long lasting protection
- deep penetrating



AVAILABLE IN ALL COLOURS: FIR GREEN, BROWN AND CLEAR

AND ALL SIZES: 1L / 2.5L / 5L / 25L





larsenbuildingproducts.com

PROTIM 265

UNIVERSAL WOOD PRESERVATIVE

LOW ODOUR WOODWORM KILLER


EXTERIOR WOOD STAIN & PRESERVER

CONSTRUCTION TIMBER PRESERVER

FENCESHIELD


CREOCOAT

LARDEC











PROTIM 265 WOOD PRESERVATIVE

A solvent-based ready-to-use wood preservative for the treatment of new and existing timber. For application on all exterior timber, which is not in direct contact with the ground or surface water, e.g. joists, end grains, fences, sheds etc.

- Solvent based
- Prevents rot and woodworm
- Long lasting protection
- 1L per 3-8 m²

PROTIM 265 - GREEN

CODE	COLOUR	PACK	BOX
M104G01	Green	1L	6
M104G02	Green	2.5L	4
M104G05	Green	5L	4
M104G25	Green	25L	1
M104G95	Green	200L	1

PROTIM 265 - BROWN

CODE	COLOUR	PACK	BOX
M104B01	Brown	1L	6
M104B02	Brown	2.5L	4
M104B05	Brown	5L	4
M104B25	Brown	25L	1
M104B95	Brown	200L	1

PROTIM 265 - CLEAR

CODE	COLOUR	PACK	BOX
M104C01	Clear	1L	6
M104C02	Clear	2.5L	4
M104C05	Clear	5L	4
M104C25	Clear	25L	1
M104C95	Clear	200L	1



EFFECTIVE AGAINST FUNGI & INSECTS PROTECTS AGAINST UV LIGHT DAMAGE



UNIVERSAL WOOD PRESERVATIVE

A ready-to-use triple action wood preservative which can be used to eradicate wood boring insects and their larvae, stop reinfestation and prevent damage to timber from blue stain, wet rot and dry rot.

- Low odour
- Triple action
- Kills woodworm
 Prevents dry and wet rot
 1L per 3.3-10 m²

CODE	COLOUR	PACK	BOX
M104LO05	Clear	5L	4
M104LO25	Clear	25L	1



LOW ODOUR WOODWORM KILLER

A ready-to-use treatment for the eradication of all types and life stages of wood boring insects and their larvae, including the common furniture beetle and the house longhorn beetle. It penetrates deeply into the wood to actively kill and protect against reinfestation.

- Low odour
- Kills wood destroying insects Prevents reinfestation

- Deep penetrating
 1L per 3.3-5 m²

CODE	COLOUR	PACK	BOX
M104WK01	Clear	1L	6
M104WK02	Clear	5L	4
M104WK05	Clear	251	1



EXTERIOR WOOD STAIN & PRESERVER

A solvent-based, ready-to-use wood preservative for the treatment of new and existing timber. For application on all exterior timber, which is not in direct contact with the ground or surface water, e.g. joists, end grains, fences, sheds etc.

- Solvent based
- Prevents rot and woodworm Long lasting protection 1L per 3-8 m²

COLOUR	PACK	CODE	PACK	CODE	BO
Mahog.	2.5L	M111M02	5L	M111M05	4
Pine	2.5L	M111P02	5L	M111P05	4
Teak	2.5L	M111T02	5L	M111T05	4
Fir Green	2.5L	M111FG02	5L	M111FG05	4



CONSTRUCTION TIMBER PRESERVER

A ready-to-use wood preservative for the prevention of damage to timber from blue stain, wet rot, dry rot and wood boring insects and their larvae

- Quick drying Prevents rot and woodworm
- Long lasting protection
 1L per 5 m²

CODE	COLOUR	PACK	BOX
M104CT01	Clear	1L	6
M104CT02	Clear	2.5L	4
M104CT05	Clear	5L	4
M104CT25	Clear	25L	1



FENCESHIELD

A water-based wood stain, ideal for domestic use. It is suitable for use on all rough sawn timber fencing, sheds, gates, trellises, etc. and will help to protect all exterior timber from the harshness of weather conditions.

- One coat
- Colours and protects
 Lasts up to 2 years
 1L per 8-12 m²

CODE	COLOUR	PACK	BOX
M110BL06	Black	6L	2
M110DO06	Dark Oak	6L	2
M110FG06	Forest Green	6L	2
M110GC06	Golden Chestnut	6L	2
M110MO06	Medium Oak	6L	2
M110RC06	Red Cedar	6L	2



CREOCOAT

A dark brown oil based wood stain for protecting all rough and smooth sawn external timber from weather damage.

- Enhances water repellency
- Restricts weather damage
- Creosote substitute
 1L per 5 m²

CODE	COLOUR	PACK	BOX
M126D04	Dark	4L	4
M126D20	Dark	20L	1
M126D95	Dark	200L	1




LARDEC

An oil-based, long chain alkyd, woodstain and primer. It is ideal for use on all joinery components; for example, window frames, doors, garden sheds and garden furniture, poultry houses, etc

- · Oil based stain

- Ready to use
 Easy to apply
 1L per 5-10 m²

CODE	COLOUR	PACK	BOX
M107R05	Redwood	5L	1
M107R20	Redwood	20L	1
M107T05	Teak	5L	1
M107T20	Teak	20L	1
M108E05	Ebony	5L	1
M108E20	Ebony	20L	1
M108P05	Pine	5L	1
M108P20	Pine	20L	1









PROTECTS: GARDEN SHEDS, DECKING & FURNITURE, FENCING, WINDOW FRAMES & DOORS, AGRICULTURAL SHEDS

TILING

19

SHOWERPROOF

STANDARD SET FLEX

FAST SET

FAST SET FLEX

WALL GROUT

FLOOR GROUT

FLEXIBLE FLOOR GROUT

TILE MAINTENANCE RANGE

WATERPROOF TANKING KIT

FLEXIBLE SHOWER SEAL TAPE

WATERPROOF ANTI-CRACK MEMBRANE

SELF-ADHESIVE TANKING TAPE

TANKING MEMBRANE







ARSEN

TILING ADHESIVES RANGE DESIGNED FOR THE TRADE

Our tiling products balance technical merit and user friendliness without compromising either.





flex 561

















Larsen Trade tiling range is a specially formulated compact range that offers multifunctional use from a compact range.

All manufactured in accordance with the strict requirements of BS EN12004.



Request our 70+ page Specification

Guide for tiling.



SHOWERPROOF

A high grab, non-slip, mould resistant, ready-mixed, thin-bed adhesive. It is designed for fixing interior ceramic wall tiles and most last in domestic showers, kitchens and bathrooms.

- Easy to spreadExcellent grab
- Mould resistant
- BS EN 12004 D1T

CODE	COLOUR	PACK	PALLET
M340 03	White	3.75kg	1 (single)
M340 07	White	7.5kg	1 (single)
M340 15	White	10L	48



FAST SET

A specially formulated, fast setting, cement based adhesive for beds of 3-12mm, interior and exterior, floor and wall applications. Fast Set is suitable for fixing ceramic and porcelain tiles to a variety of common stable substrates. For use on heated screeds or overboarded timber, Fast Set should be mixed with Larsen Flexibiliser.

- Rapid set
- Polymer modified
- Grout after 3 hoursBS EN 12004 TYPE C1F

CODE	COLOUR	PACK	PALLET
M354G05	Grey	5kg	5 (box)
M354G10	Grey	10kg	100
M470G20	Grey	20kg	64



STANDARD SET FLEX

A specially formulated non-slip, flexible, standard setting, cement based adhesive. It is suitable for beds of 3-12mm, interior, exterior, floor and wall applications. Standard Set Flex is suitable for fixing most types of tiles including porcelain natural stone and large format tiles.

- Polymer modifiedUp to 5 hour pot life
- Non-slip
 BS EN 12004 TYPE C2TE

CODE	COLOUR	PACK	PALLET
M472W20	White	20kg	64



FAST SET FLEX

A flexible, non-slip, fast setting, cement based adhesive. It is suitable for beds of 3-12mm, interior, exterior, floor and wall applications. Fast Set Flex is suitable for fixing ceramic, porcelain, large format, natural stone and mosaic tiles to a variety of substrates including heated screeds and overboarded timber.

- Flexible

- Polymer modifiedGrout after 3 hoursBS EN 12004 TYPE C2FT

CODE	COLOUR	PACK	PALLET
0000	COLOUR	171011	
M471G20	Grey	20kg	64
M471W20	White	20ka	64



WALL GROUT

A water and mould resistant, cement-based, narrow joint, tile grout. It is manufactured using high quality fine fillers to improve ease of finishing. Wall Grout is suitable for use with glazed and unglazed tiles and has excellent adhesion to all tile types.

- Up to 3mm joint
- Water resistant
 Resists fungal & mould growth
 BS EN 13888 TYPE CG1

CODE	COLOUR	PACK	BOX
M344W03	White	3kg	8
M344W10	White	10kg	1
M344I03	Ivory	3kg	8
M344I10	Ivory	10kg	1



FLOOR GROUT

A high quality, sanded, cement-based, wide joint, tile grout. Floor Grout is suitable for use with most common floor tiles internally or externally.

- 3 12mm joint
- Water resistant
- Internal & external
- BS EN 13888 TYPE CG1

CODE	COLOUR	PACK	BOX
M343G03	Grey	3kg	8
M343G10	Grey	10kg	1



FLEXIBLE FLOOR GROUT

A specially formulated, polymer modified, cement-based wide joint grout. It is suitable for internal and external applications, and for use in areas of limited movement. It is suitable for use with glazed and unglazed tiles and has excellent adhesion to all types of tile.

- 3 20mm joint
- Water resistant
- Flexible
- BS EN 13888 TYPE CG2W

CODE	COLOUR	PACK	BOX
M342G03	Grey	3kg	8
M342G10	Grev	10ka	1

OUR FULL RANGE OF WALL & FLOOR GROUTS TO SUIT ANY PROJECT

- Possible with the use of diluted Larcem Flexibiliser as the gauging liquid.
- Consult TTA guide "Design & Construction Process for Swimming Pools" to ensure suitability of cement based grouts.



	COLC FAST 360°	GROL	WALL	FLOOGROL	FLEX FLOO GROL
Joint Width in mm	1-15	3-20	Up-3	3-15	3-20
Classification	13888 CG2W	13888 RG	13888 CG1	13888 CG1	13888 CG2W
Application					
Dry Interior	1	✓	✓	✓	✓
Bathrooms	1	✓	✓	✓	✓
Domestic Showers	✓	✓	✓	✓	✓
Power Showers	✓	✓		*	✓
Kitchen	1	✓	✓	1	✓
Underfloor/tile heating	✓	✓		*	✓
Exterior	✓	✓		✓	✓
Swimming pool	√ **	✓	√ **	√ **	√ **
Areas - minor movement	✓	✓		*	✓
Heavy trafficked areas	1	✓		*	√
Hygienic/Sterile areas		1			
Exposure to chemicals		1			

Available in a selection of colours.

KPERTS

Our Specification Guides provide full details of the correct way to solve the most commonly encountered problems. They include relevant standards and codes of practice, and also offer advice based on our practical experience.

www.larsenbuildingproducts.com



TILE MAINTENANCE RANGE



EXTRA STRENGTH REMOVER

A strong acidic cleaner for the removal of stubborn cement and grout residues. It is ideal for removing residues caught in deep textured tiles.

- Strong acidic cleaner
- Removes cement stains
- Ideal for stubborn residues

CODE	PACK	BOX
M395ER01	1L	6



A mild clean and shine product for the routine cleaning of tiled floors, offering superior cleaning action with a fresh scent, while improving surface colour. It is ideal for maintaining polished floors.

- Renovating floor cleanerOffers superior cleaning action
- Enhances surface colour
- Helps maintain polished look

CODE	PACK	BOX
M395SC01	11	6



STONE & GROUT PROTECTOR

An advanced, water based surface protector based on fluoropolymers. Unlike other products, the appearance of the impregnated surface remains almost totally unchanged. Stone & Grout protector protects treated surfaces against water and oil based staining.

- · Advanced stain resistant
- impregnating sealer Invisible protection
- Suitable for almost all porous surfaces and all types of natural stone

CODE	PACK	BOX
M395MP01	1L	6



IMPREGNATING

An advanced, solvent based surface protector and colour enhancer. It is ideal for providing a water repellent, stain resistant seal to slate and porous tiles, while improving and intensifying colour.

- Advanced impregnator
- Water repellent seal
- Enhances colour of treated surface

CODE	PACK	BOY
CODE	FACK	DOX
M395IS01	1L	6
M395IS05	51	1





A versatile, multicomponent system ideal for use in waterproofing applications and to provide secondary protection in tiling installations. The system comprises a water based liquid applied flexible membrane, a roll of self-adhesive flexible joint sealing tape and a primer. The kit is designed to provide the complete solution wet rooms, shower areas and bathrooms.

- Quick and easy to use
- Fast installation
 Suitable for wet rooms & power showers
- Covers 5m²

CODE	COLOUR	PACK	BOX
M348 04	Blue	-	



FLEXIBLE SHOWER SEAL TAPE

Flexible Shower Seal Tape is a self-adhesive, high performance waterproof sealing tape that can be applied directly to the wall-facing edge of shower trays, baths or worktops. Used prior to installation, Flexible Shower Seal Tape provides a secure watertight seal.

- Quick and easy to use
- Fast installation
 Suitable for showers, bathrooms & kitchens
- 3.6m roll per pack

M348R25	Yellow	25m	1
M348 350	Yellow	3.6m	12
CODE	COLOUR	PACK	BOX





A low profile membrane providing waterproofing and decoupling for all floor tiling. It is an innovative 3-ply membrane designed to accommodate and decouple lateral movement and stresses in substrates and protect from moisture migration. Ideal for use with timber floors; wet rooms; natural stone; large format tiles; heated floors; cracked floors etc

- Easy to install
- 2 in 1 waterproofing and uncoupling
 Minimal height build-up (<1mm)
 Ideal with underfloor heating

CODE	COLOUR	PACK	BOX
1J100 20	Blue	20m	1



SELF-ADHESIVE TANKING TAPE

A roll of self-adhesive flexible joint sealing tape for use in domestic and commercial tanking and waterproofing applications. Provides flexible sealing of corner joints; joints between construction boards and for joints in Waterproof Anti-Crack Membrane applications.

- Easy to applySelf-adhesive
- Flexible

CODE	COLOUR	PACK	BOX
J11605	Grey	5m	1
.111620	Grev	20m	1



TANKING MEMBRANE

A ready for use solvent-free sealing compound for professional tanking of areas under tiling installations in wet rooms, showers and other areas at risk from water. Designed for use in all interior floor or wall applications to protect substrates and surfaces with frequent or prolonged exposure to water e.g. power showers, wet rooms and changing areas in schools and sport facilities.

- Waterproof
- Quick drying Touch dry in 1 hour
- Low odour

CODE	COLOUR	PACK	BOX
M349W05	Blue	5kg	1
M349W10	Blue	10kg	1

LARTEX FLO

SELF LEVELLING COMPOUND

SLC1550 FLEX

SLC2500

PRIMADRY

SLC3015 FAST





OUR ESEST

Being moisture tolerant and capable of levelling over light adhesive residues, our latex screed, Lartex Flo is in high demand by contractors.

- up to 10mm depth
- foot traffic in 2-3 hrs
- floor covering in 12-24 hrs
- protein-free
- low odour
- suitable for underfloor heating







A specially formulated 2-part latex designed for the professional flooring contractor. It can be used to prepare most rigid surfaces such as sand / cement screed, concrete, correctly prepared wooden floors, over underfloor and under tile heating, flooring grade asphalt and floors with minor adhesive residue contamination. prior to the installation of floor coverings such as vinyl, carpet and ceramic floor tiles.

- Can be laid up to 10mm
- Smooth finish

- Protein-free
 Foot traffic in 2-3 hours
 1 pack per 4.5m² @3mm

CODE	COLOUR	PACK	PALLET
M339 20	Grey	20kg	48
M339L04	White	4.5L	48



SELF LEVELLING COMPOUND

A 1-part general purpose cementitious smoothing underlayment suitable for levelling most cómmon subfloors such as sand/cement screed and concrete.

- Up to 6mm
- Protein-free
- Smooth finish
- 30 min open time 20kg per 4m² @3mm

CODE	COLOUR	PACK	PALLET
M311 11	Grey	11kg	100
M311 20	Grev	20ka	64



SLC1550 FLEX

A single pack, fast-drying, fibre-reinforced, cement-based underlayment. For use in fast track domestic and commercial situations, such as, where levelling of up to 50mm is required or for use over underfloor heating and on more difficult substrates, e.g. timber.

• 3-50mm in one application

Grey

- Fast drying
- Protein-free

M322 20

- Fibre-reinforced
- Foot traffic in 2-4 hours
 1 pack per 1m²@10mm

CODE	COLOUR	PACK	PALLET

20kg

64



SLC2500

A single pack, fast drying, hand or pump applied cement based levelling topping designed to eliminate surface irregularities and smooth internal and external concrete surfaces exposed to industrial traffic. Suitable for application between 5 and 15mm to provide an exterior wearing surface.

- 5-15mm in one application
- Fast dryingHard wearing finishSlip resistant finish
- External use
- 2m² per 25kg @ 7mm

CODE	COLOUR	PACK	PALLET
M324 25	Grey	25kg	48



PRIMADRY

A premium semi-dry screed cement incorporating Larsen Prima Screed additive. Used in place of cement, this advanced screed binder offers acceleration, water reduction and shrinkage compensation, to create a screed with high early and ultimate strengths. strengths, ease of finishing, rapid drying and reduced shrinkage. Due to the excellent early strengths and rapid drying properties, Prima screeds are ideal for fast track construction and refurbishment projects.

- High strength: resists construction traffic
- Rapid drying: earlier covering Improved workability: easy to compact Easy: just add sand
- 12 bags per m³ of screed

CODE	COLOUR	PACK	PALLET
M325 20	Grey	22.5kg	48



SLC3015 FAST

SLC3015 FAST is a single pack, ultra-rapid setting, hand or pump applied cement based levelling compound. Using advanced binder technology, it is ideal when a fast track solution is required.

- Walk on from 30 min
- Cover from 45 min Fibre reinforced

- Up to 15mm 1pack per 4.5m² @3mm

CODE	COLOUR	PACK	PALLET
M324 20	Grev	20ka	64

with fiberflex™ microfibre technology

SLC 1550 FLEX

SLC1550 FLEX from Larsen is a fast drying underlayment that is reinforced by millions of tiny fibres which bring both strength and flexibility to your floor. Larsen have been using fibre-reinforced technology in flooring for over 10 years, flexible working at its best.

- 3-50mm depth
- 2hr set time
- polymer modified
- high flexural strength
- overboarded timber floors
- suitable for underfloor heating



PVA BOND

SBR BOND

PLASTER GRIP

ACRYLIC PRIMER

NP KEYCOAT

PRIMER GRIP 360

F1X

XTRA GRIP CONSTRUCTION ADHESIVE

WATER RESISTANT WOOD GLUE

LARFIX E







PVA BOND

Universal general purpose adhesive, primer and bonding aid. Prime porous and difficult substrates prior to rendering, plastering, and screeding. Bonds most building materials provided one surface is porous. Seals porous surfaces and helps prevent dusting on concrete. Can also be used with cementitious mixes to make patch repairs.

- General purpose adhesive
- Additive for internal mortars and renders.
 Primer for plastering
- Woodworking adhesive

CODE	COLOUR	PACK	BOX
M252 00	White	0.5L	12
M252 01	White	1L	12
M252 02	White	2.5L	4
M252 05	White	5L	4
M252 25	White	25L	1



SBR BOND

A synthetic rubber polymer emulsion used to make polymer mortars, screeds and renders. SBR Bond can be mixed with cement as a bonding grout for screeds and renders. The improvements allow the production of high strength screeds, thin section screeds, patching/ repair mortars and waterproof mortars.

- · Improves flexural strength
- Improves tensile strengthImproves abrasion resistance
- Improves chemical resistance
- Reduces water permeabilityInternal or external

CODE	COLOUR	PACK	BOX
Y100 05	White	5L	4
Y100 25	White	25L	1



PLASTER GRIP

A high performance, internal, plaster bonding agent. Designed to provide an improved mechanical key to all backgrounds including existing plaster, plasterboard, timber, concrete, painted surfaces and glazed tiles. Plaster Grip will also even out and reduce suction on mixed substrates giving more time to create the perfect skim finish.

- One coatIdeal for skimming
- Gritty finish for excellent key
- Equalises and reduces suction
 Up to 50m² per tub

CODE	COLOUR	PACK	BOX
M907 10	Red	10kg	1





ACRYLIC PRIMER

A ready-to-use primer for use on porous and difficult substrates prior to tiling or screeding, or to seal gypsum plasters or screeds prior to the addition of cement based adhesives. It can be used neat when sealing substrates or diluted with an equal quantity of water for general priming.

- Water-based polymer emulsion
- Ready-to-use primerImproved adhesion
- Coloured to indicate application
 1L per 7-10m² (neat)

CODE	COLOUR	PACK	BOX
M901 01	Pink	1L	12
M901 05	Pink	5L	4



NP KEYCOAT

A high performance, water based, modified polymer primer for use on smooth and non-porous, demanding substrates prior to tiling or levelling. It is ideal for priming one coat DPMs, tiled floors and metal substrates.

- Ready-to-useFor tiling and levelling
- High performance modified polymer
- Non-porous substrates Universal primer
- 1L per 5-10m²

CODE

M905 05



PRIMER GRIP 360

A hybrid primer for the ultimate mechanical key. Formulated with advanced polymers and special fine aggregate, it is designed to provide an improved mechanical key to all common absorbent and non-absorbent backgrounds. Rapid drying and can be tiled over or levelled in as little as 15-20 minutes.

- Gritty surface for superior bondIdeal for tiling and levelling
- Rapid drying
- Internal and external 1kg per 5-10m²

CODE	COLOUR	PACK	BOX
M906 05	Green	5kg	1





F₁X

COLOUR

White

An advanced adhesive and sealant based on MS-polymers to provide a single-part, long lasting and elastic product. F1X ensures excellent grip, bonding and sealing for virtually every material involved in the construction industry, and beyond, making it the ideal all-in-one sealant and fixing all-in-one sealant and fixin product for professional tradesmen. F1X can be used on both dry and wet surfaces, including under water. It cures odourless through atmospheric moisture to form a durable, flexible, solvent free waterproof, weatherproof, UV, bacterial and fungal resistant seal.

PACK

5L

BOX

- MS polymer
- Replaces construction adhesive
- Replaces silicone

CODE	COLOUR	PACK	BOX
D209C01	Clear	290ml	12
D209W01	White	290ml	12
D209G01	Grey	290ml	12
D209B01	Black	290ml	12

XTRA GRIP CONSTRUCTION ADHESIVE

A ready-to-use high strength, gap-filling adhesive which bonds to most common surfaces, replacing the need for nails or screws. Ideal for fitting skirting, architrave, coving etc, it dries white and can be sanded and overpainted.

- Trade grade Solvent free
- Excellent adhesion
- High strength 12m x 6mm bead / tube

25000	 Replaces sanitary sealants Replaces mirror adhesives Excellent adhesion to many surfaces 			
CODE	COLOUR	PACK	BOX	
D209C01	Clear	290ml	12	
D209W01	White	290ml	12	
D209G01	Grey	290ml	12	
D209B01	Black	290ml	12	



CODE	COLOUR	PACK	BOX
3303 50	White	350ml	25



WATER RESISTANT WOOD GLUE

One pack, ready-to-use, general purpose water resistant wood glue. Offering a fast rate of strength development, it is ideal for use in kitchens, window frames, wooden flooring and other joints subject to short-term water contact.

- Water resistant
- Woodworking adhesiveWood and laminate flooring
- EN 204 D3/3 and D3/4

CODE	COLOUR	PACK	BOX
M251 250	White	0.25L	12
M251 500	White	0.5L	12
M251 01	White	1L	12
M251 05	White	5L	4



LARFIX E


A solvent-free, two-pack, non-sagging, synthetic adhesive, based on selected epoxy resins and fillers. It is ideal for the bonding of numerous building materials and for the fixing of (instead of doweling transmission of the part of t or screwing of) concrete, rocks, glass and metals on horizontal, inclined and vertical surfaces (including overhead).

- Waterproof
- Impact resistant
- Thixotropic, non-sagging
 Heavy-duty quality
 Low shrinkage
 1kg pack = 0.6L

CODE	COLOUR	PACK	BOX
Y400 01	Grey	1kg	1

SBR BON







MORTAR PLASTICISER

EXTRA STRENGTH MORTAR PLASTICISER

WINTER PLAS

POWDER MORTAR PLASTICISER

CONCENTRATED MORTAR PLASTICISER

CEMENT COLOURS

RAPID HARDENER & FROSTPROOFER

PINK WATERPROOFER

PRUFPLAST

POWDER WATERPROOFER

INTEGRAL WATERPROOFER

SBR BOND



Admixtures are used to improve the properties of both fresh and hardened concrete, mortar and screed.







MORTAR PLASTICISER

A plasticising/air-entraining admixture for site-mixed bricklaying and plastering mortars. It is manufactured from a blend of specially selected synthetic surfactants. Improves the workability of mortar for masonry, brickwork and sand/cement rendering without the need for lime.

- BS EN 934
- Replaces lime
- Increases frost protection
- Reduces shrinkage and crazingChloride-free
- 125ml per 25kg cement

CODE	COLOUR	PACK	BOX
L103 05	Brown	5L	4
L103 25	Brown	25L	1
L103 95	Brown	200L	1



EXTRA STRENGTH MORTAR PLASTICISER

A Vinsol® resin-based plasticising / air-entraining admixture for site-mixed bricklaying and plastering mortars. It is manufactured from Vinsol® resin and a blend of specially selected synthetic surfactants. Improves the workability of mortar for masonry, bricklaying and for masonry, with the surfact of the surface of the brickwork and sand /cement rendering.

- BS EN 934
- Replaces lime
- Increases frost protection
- Reduces shrinkage and crazing
 Chloride-free
- 85ml per 25kg cement

CODE	COLOUR	PACK	BOX
M103 05	Brown	5L	4
M103 25	Brown	25L	1
M103 95	Brown	200L	1



WINTER PLAS

A chloride-free, liquid admixture which combines acceleration with plasticising / air-entrainment. A single part product which, when added to mortar, allows work to continue even at sub-zero temperatures.

- BS EN 934
- Increases frost resistance during setting
 Faster finishing times -
- even in cold weather
 Higher strength at an earlier stage
 Chloride-free
 0.5-2L per 25kg cement

CODE	COLOUR	PACK	BOX
M101 05	Blue	5L	4
M101 25	Rlue	251	1



POWDER MORTAR PLASTICISER

A concentrated plasticising/air-entraining admixture for site-mixed bricklaying and plastering mortars. Manufactured from a unique blend of surfactants, which ensures consistent performance of mortars. Powder Mortar Plasticiser improves the workability of mortar for masonry, brickwork and sand / cement rendering.

- BS EN 934

- Easily handled powder Replaces lime Increases frost protection
- Reduces shrinkage and crazing
- Chloride-free
- 25g per 25kg cement

CODE	COLOUR	PACK	BOX
M129 25	White	25kg	1



CONCENTRATED MORTAR PLASTICISER

A high strength, low dosage plasticising admixture for bricklaying and plastering mortars. Supplied in a special, easy-to-use, dosing pack, it is up to 25 times stronger than conventional products. Concentrated Mortar Plasticiser improves the workability of mortar for masonry, brickwork and sand/ cement rendering.

- BS EN 934
- Up to 25X stronger
- Replaces lime Reduces water demand
- Increases frost protection
 1L plasticises up to 100x25kg cement
 10-25ml per 25kg cement

CODE	COLOUR	PACK	BOX
M106.01	Brown	11	12



CEMENT COLOURS

Concentrated powder pigments for use with any cementitious mix. Suitable for use in coloured mortars, renders, concrete mixes, grouts and pointing. Larsen Cement Colours are supplied in easy-to-use resealable packs.

- Easy-to-use / Strong colours
- For mortar and concrete
 500g per 25kg cement

CODE	COLOUR	PACK	BOX
M353Y01	Yellow	1kg	6
M353B00	Brown	0.5kg	6
M353B01	Brown	1kg	6
M353R00	Red	0.5kg	6
M353R01	Red	1kg	6
M353E00	Black	0.5kg	6
M353E01	Black	1kg	6
M353E12	Black	12.5kg	1



RAPID HARDENER & FROSTPROOFER

A set and hardening accelerator for concrete and mortar. It is a highly concentrated calcium chloride based liquid admixture formulated to accelerate the setting time of cement based mixes in cold weather and increase the rate of hardening of concrete and other cement mixes.

- · Accelerates setting times
- Increases early strengthsIdeal in cold weather conditions
- Helps prevent frost damage
- in newly placed materials Chloride-based BS EN 934-2 table 6 & 7
- Up to 2.5L per 25kg cement

CODE	COLOUR	PACK	BOX	
M102 05	Clear	5L	4	
M102 25	Clear	25L	1	
M102 95	Clear	200L	1	



PINK WATERPROOFER

A standard setting, liquid integral waterproofer for mortar, render and concrete. It inhibits the passage of liquid water through the capillary and pore network in cementitious materials, but does not form a vapour barrier thus allowing the structure to breathe. It is non-retarding chloride-free to breathe. It is non-retarding, chloride-free and equally compatible with all cements. It is not suitable for use in areas where there is hydrostatic pressure.

- Integral waterprooferIdeal for use in external renders
- Vapour permeable
- Allows structure to 'breathe'
- 250ml per 25kg cement

	-		
CODE	COLOUR	PACK	BOX
M310 05	Pink	5L	4
M310.25	Pink	251	1



PRUFPLAST

A combined mortar plasticiser and liquid waterproofer for building mortars and renders. It inhibits the passage of liquid water through the capillary and pore network in cementitious materials, but does not form a vapour barrier thus allowing the structure to breathe. Prufplast is non-retarding, chloridefree and equally compatible with all cements. Use in render base coats also reduces the suction to allow easier application of following render coats.

- Combined waterproofer and plasticiser
- Ideal for use in external renders Vapour permeable
- Allows structure to 'breathe'
- 250ml per 25kg cement

CODE	COLOUR	PACK	BOX
M105 05	Green	5L	4
M105 25	Green	251	1



POWDER WATERPROOFER

A white powder admixture used to increase the water repellency of render, mortar and concrete. By increasing the water repellency but maintaining the vapour permeability of a mix, there is a lower water absorption, lower risk of efflorescence and staining and a higher durability. Its use in render base coats also reduces the suction to allow easier application of following render coats.

- Permeability and absorption reduced

- Vapour permeabile
 Allows structure to 'breathe'
 Helps prevent efflorescence
 Easy to use
 0.5kg per 25kg cement

CODE	COLOUR	PACK	BOX
M317 01	White	1kg	10



INTEGRAL WATERPROOFER

A 'pore-blocking', permeability-reducing admixture. It inhibits the passage of liquid water through the capillary and pore network in cementitious materials, but does not form a vapour barrier thus allowing the structure to 'breathe'. It can be used to waterproof screeds, renders and concrete, which when treated will resist hydrostatic pressure. It is also suitable for use in render systems used to tank basements or to line water-retaining structures.

- · Pore-blocking waterproofer
- Waterproof render system
 Vapour permeable: structure can 'breathe'
 0.75L per 25kg cement

CODE	COLOUR	PACK	BOX
M400 05	Yellow	5L	4
M400 25	Yellow	25L	1



SBR BOND

A synthetic rubber polymer emulsion used to make polymer mortars, screeds and renders. SBR Bond can be mixed with cement as a bonding grout for screeds and renders. The improvements allow the production of high strength screeds, thin section screeds, patching/repair mortars and waterproof mortars.

- Improves flexural strengthImproves tensile strength
- Improves abrasion resistance
- Improves chemical resistance
 Reduces water permeability
- Internal or external

CODE	COLOUR	PACK	BOX
Y100 05	White	5L	4
Y100 25	White	25L	1

CRANE LIFT MULTI-TRIP

CAFE WORKING LOAD OF GEORG

SALE MOUNTING FOWD OF GOOK		
Capacity:	1/3rd cubic metre (330L)	
Internal length:	913mm (at top)	
	835mm (at bottom)	
Internal width:	601mm (at top)	
	552mm (at bottom)	
Internal height:	675mm	
External height:	690mm	
Tare Weight:	25kg	



BRICK & PATIO CLEANER

DECKING & PAVING CLEANER

CONCENTRATED ALGICIDE

WATER REPEL

ACRYLIC CONCRETE SEALER

PATH & PATIO SEALER





EASY CLEAN 8.4 SEAL







The ultimate range of cleaners and sealers for all outdoor areas. High performance products with excellent shelf impact.

EASY TO USE A RANGE OF BRICK & PATIO CLEANERS





BRICK & PATIO CLEANER

A strong hydrochloric acid based cleaner which removes cement, mortar and efflorescence stains from brickwork, paving and tiles. It is also effective at cleaning away dirt, grime and green growth.

- Ready to use
- · Removes, cement and efflorescence
- Powerful acid based cleaner
 Cleans patios, paving and brickwork
 5-10m²/L

CODE	COLOUR	PACK	BOX
M100 01	Clear	1L	12
M100 02	Clear	2.5L	4
M100 05	Clear	5L	4



DECKING & PAVING CLEANER

A highly effective cleaner for cleaning patios, decking, paths and driveways. Highly concentrated it is effective at cleaning green and grime from most external hard surfaces.

- No bleach
- No acid
- Powerful cleaner
- Cleans patios, paving and decking Dilute up to 1:20

CODE	COLOUR	PACK	BOX
M112 01	Clear	1L	12
M112 02	Clear	2.5L	4
M112 05	Clear	5L	4



CONCENTRATED ALGICIDE

Kills green growth, algae and fungi without scrubbing. A highly concentrated surface biocide for killing green and red algae, black moulds, fungal growth on internal and external surfaces.

- Ideal for driveways, renders,
- paths, brickwork and masonry Kills all green and red algae, mildew, mould and fung
- Brush or spray no scrubbing
 1L dilutes to over 16L

CODE	COLOUR	PACK	BOX
M113 01	Clear	1L	12
M113 02	Clear	2.5L	4
M113 05	Clear	5L	4



WATER REPEL

A ready-to-use, solvent-based, masonry water repellent. It is ideal for use on standard water repellent. It is lideal for use on standard building materials like brickwork, concrete and wood, and will also help to prevent water damage to stonework, leather, canvas, etc. Water Repel penetrates readily into most porous surfaces to form a clear, hydrophobic layer in the substrate's pore structure, thus preventing the ingress of moisture, while remaining breathable.

- Masonry water repellentIdeal for brick, wood and concrete
- Prevents penetrating damp
- Dries clear
- 3-8m²/L per coat

CODE	COLOUR	PACK	BOX
M115 02	Clear	2.5L	4
M115 05	Clear	5L	4
M115 25	Clear	25L	1



ACRYLIC CONCRETE SEALER

A solvent-based, hardwearing acrylic sealer and surface coating for concrete, Shake-Top, concrete paving products and other cementitious floors. It is designed to penetrate the capillary structure of the substrate, and by binding loose particles together, forms a tough, resilient enamel. This leaves the surface dust-free, hardwearing and resistant to oils, alkalis and other chemicals.

- Colourless
- Improves wear resistance
- Eliminates surface dusting Reduces dirt penetration
- Improves oil and chemical resistance
- Easier floor maintenance
- 5-10m²/L per coat

CODE	COLOUR	PACK	BOX
Y605 05	Clear	5L	4
Y605 25	Clear	25L	1
Y605 95	Clear	200L	1



PATH & PATIO SEALER

A tough water based acrylic sealer. It produces a hard, clear seal with excellent weathering and water resistance and offers excellent protection from dirt, oil and petrol. Path & Patio Sealer is ideal for use as a sealer for concrete floors and yards, driveways and paths and all concrete and stone paving.

- Colourless
- Ready to use Easy to apply
- Protects from oil, petrol & water Reduces moss & fungal growth Water-based low odour

- 6-12m²/L per coat

CODE	COLOUR	PACK	BOX	
Y606 01	White (dries clear)	1L	12	
Y606 05	White (dries clear)	5L	4	
Y606 25	White (dries clear)	25L	1	



Path & Patio Sealer is ideal for use as a sealer for concrete floors and yards, driveways and paths and all concrete and stone paving.

CONCRETE FLOOR PAINT

WATER DISPERSIBLE EPOXY PAINT

LINE MARKING PAINT

BLACK BITUMEN PAINT

DRIVEWAY RESTORER & SEALER

LARSEAL SUPER

EPOXY IMPREGNATING SEALER

SEAL PLUS 3IN1

STORM REPEL

STAIN REPEL

DUSTPROOFER







CONCRETE FLOOR PAINT

A single pack, semi-gloss, oil-based floor paint designed to give an economical but durable finish. It is suitable for use in areas subject to light to medium traffic including workshops, domestic garages, general storage areas, corridors, etc, internally and externally.

- Coloured single pack system
 Economical maintenance product
 Ready to use easy to apply
 Long shelf life when stored correctly
 10-12m²/L per coat

CODE	COLOUR	PACK	BOX
Y249G0505	Grey	5L	1
Y249R5605	Red	5L	1



WATER DISPERSIBLE EPOXY PAINT

Specifically designed for low cost durable sealing of internal concrete, walls and floors, workshops, dairies and other medium duty areas. It is odour and taint-free and non-flammable. With the inclusion of a suitable aggregate, Epoxy Paint can produce slip and skid-resistant surfaces.

- Coloured two pack system Satin finish medium duty coating
- Easy to use
- Low odour
- 4-6m²/kg per coat

CODE	COLOUR	PACK	BOX
M203W05	White	5kg	1
M203SG05	Sea Grey	5kg	1
M203SGD05	Dark Sea Grey	5kg	1
M203R05	Red Oxide	5ka	1



LINE MARKING PAINT

A high performance surface coating specially formulated to renovate and renew old tarmac paths and driveways. It provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth

- Quick drying
- Tough seal
- Long lasting finish 4-6m²/L per coat

CODE	COLOUR	PACK	BOX
A200A00	Blue	750ml	6
A200R00	Red	750ml	6
A200W00	White	750ml	6
A200Y00	Yellow	750ml	6
A200G00	Green	750ml	6



BLACK BITUMEN PAINT

A high quality, fast drying, solvent-based bitumen paint giving a black coating when dry. An effective waterproof, weatherproof and corrosion resistant protective coating, it can be applied to iron, steel, lead, zinc, aluminium, concrete, stone, brick, etc. Examples of use: to corrugated iron; fire escapes; ladders; cold water storage tanks (not suitable for use in contact with potable water); downpipes; gutters; gates: concrete: stone: brickwork: etc. gates; concrete; stone; brickwork; etc.

- Easy to apply / quick drying
- Apply by brush or airless spray
 Resistant to alkalis/acids (low concentrations)

CODE	COLOUR	PACK	BOX
C400 02	Black	2.5L	4
C400 05	Black	5L	4
C400 25	Black	25L	1



DRIVEWAY RESTORER & SEALER

A high performance surface coating A high performance surface coating specially formulated to renovate and renew old tarmac paths and driveways. It provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. and weed growth

- Quick drying
- Tough seal
- Long lasting finish
- 4-6m²/L per coat

CODE	COLOUR	PACK	BOX
M118 05	Black	5L	4
M118 25	Black	251	1



LARSEAL SUPER

A higher solids, solvent-based, hardwearing acrylic sealer and surface coating for concrete, concrete paving products and pattern imprinted concrete. It forms a tough, resilient enamel which leaves the surface dust-free, hardwearing and resistant to oils, alkalis and other chemicals.

- Colourless
- Improves wear resistance
- Eliminates surface dusting
- Reduces dirt penetration Improves oil and chemical resistance
- Easier floor maintenance
- High sheen
 5-10m²/L per coat

CODE	COLOUR	PACK	BOX
Y600 25	Clear	25L	1



EPOXY IMPREGNATING SEALER

A two-component, low-viscosity solvent containing epoxy impregnation material. It may be used as a sealer and surface hardener for cementitious materials, to eliminate dusting and give enhanced resistance to oils, water, abrasion and chemical attack (eg, in factories, garages, car parks, warehouses, plant rooms, etc.) or as an impregnating primer for certain other coatings. Impregnation greatly improves the abrasion resistance of concrete making it ideal for use on high traffic industrial floors.

- Industrial finish / eliminates surface dusting
- Excellent abrasion resistance
- Improves oil and chemical resistance
- Easier floor maintenance
- 5-10m²/L per coat

CODE	COLOUR	PACK	BOX
Y601 10	Clear	10L (5L A + 5L B)	1



SEAL PLUS 3IN1

A water based acrylic hybrid dispersion paving sealer, sand stabiliser and protector suitable for most paving. It can be used commercially and domestically including town centres, car parks, patios and driveways. It provides accelerated joint stabilisation which helps to prevent erosion of sand filled joints through vacuum sweeping, pressure washing and beauty reinfall. heavy rainfall

- Sand stabilisation
- Sealer
- Protector
- 2-6m²/L depending on application

CODE	COLOUR	PACK	BOX
M328 05	White (dries clear)	5L	4
M328 25	White (dries clear)	251	1



STORM REPEL

A creamy silane/siloxane based impregnating water repellent. Its unique thixotropic nature allows sufficient active material to be applied in one coat, by brush roller or airless spray, even overhead. It has been designed to penetrate deeply into silicate based mineral substrates like brick, mortar and roofing tiles to give maximum reduction in water absorption and protection from water, pollutants and freeze/ thaw damage. By keeping masonry dry, the thermal performance of the wall is improved.

- One coat application
- Greatly reduces rain penetration
- Protects against freeze / thaw damage Excellent penetration / vapour permeable Improves energy performance
- 30m² per 5kg pack

-				
CODE	COLOUR	PACK	BOX	
M547C05	White (dries clear)	5kg	1	



STAIN REPEL

A solvent based mixture of silane, siloxane and fluoropolymer impregnating water and oil repellent. It is oleophobic (oil repellent) so both water and oil based staining is much more easily removed. The treated surface remains breathable. Ideal for treatment of facades and pavements composed of cement based render or blocks, natural stone, concrete or similar. Also suitable for treating window sills, work tops etc. manufactured from natural or reconstituted stone or concrete. Internal /external use.

- Reduces staining / easy clean surface
 Oil and water repellent / impregnating seal
 No change in appearance/surface texture
 5-10m²/L

CODE	COLOUR	PACK	BOX
M545C01	Clear	5L	4
M545C05	Clear	251	1



DUSTPROOFER

A silicate-based surface hardening liquid for concrete floors, floor screeds and renders. It reacts chemically with cement-based substrates to form a microcrystalline seal in the surface pores of the concrete or screed. This produces a hard dust-free finish, ideal for polishing operations. The seal is a permanent, integral part of the surface.

- Colourless / water based
- Improves wear resistance
- Eliminates surface dusting
- Easier floor maintenance
- Longer floor life
 4-6m²/L per coat

CODE	COLOUR	PACK	BOX
M309 05	Clear	5L	4
M309 25	Clear	25L	1
M309 95	Clear	200L	1

It's hard to know what product to use for a particular application. Below is a rough guide, but if you are in any doubt, please contact our technical team who are happy to advise.

CONCRETE FLOOR PAINT

TYPE POLYURETHANE ALKYD

PACK SINGLE PACK

NATURE SOLVENT BASED

DUTY LOW TO MEDIUM

GARAGES NORMAL USE **STORES**

CORRIDORS

NON-SLIP NO



WATER DISPERSIBLE EPOXY PAINT

TYPE FPOXY

PACK TWO-PACK

NATURE WATER BASED

DUTY MEDIUM

WAREHOUSES NORMAL USE

WORKSHOPS DAIRIES

NON-SLIP YES (WITH SAND SCATTER)

WATER REPEL

STORM REPEL

STAIN REPEL



TYPE STEARATE

NATURE SOLVENT BASED LIQUID

APPLICATION 2-3 COATS

PERFORMANCE **GENERAL PURPOSE**

WATER REPELLENT

OVERPAINTABLE YES (OIL BASED PAINT)

NORMAL USE BRICKWORK /

CONCRETE / WOOD



SILANE/SILOXANE

AQUEOUS CREAM

HIGH PERFORMANCE

MASONRY WATER REPELLENT

BRICKWORK /

STONE MASONRY /

ROOFTILES



FLUORO-POLYMER BLEND

SOLVENT BASED LIQUID

ULTIMATE STAIN GUARD,

OIL AND WATER REPELLENT

GENERALLY NO

FACADES /

PAVEMENT / PATIOS /

WORKTOPS

PATH & PATIO SEALER



NATURE WATER BASED

APPLICATION 2-3 COATS

FINISH MID SHEEN

BRICK PAVING / NORMAL USE

CONCRETE / PATHS

ACRYLIC CONCRETE SEALER



SOLVENT BASED 2-3 COATS

MID SHEEN

CONCRETE / YARDS / WAREHOUSES / PAVING

LARSEAL SUPER



SOLVENT BASED

1-2 COATS

GLOSSY

PRINTED CONCRETE /

WAREHOUSES

QUICK CONCRETE

BUILDING MORTAR PLASTERING MORTAR MORTAR TUBS EASY POST RAPID PATCH FIRE CEMENT 4:1 SAND CEMENT 400 CONCRETE









A factory controlled, prescribed general purpose 6:1 masonry mortar for external use in elements subject to structural requirements. It is a blend of specially graded, kiln dried sands, Portland cement and air-entraining agents. It is suitable for building, bedding and pointing brick, block and stone. Supplied in bulk tanker to our Site Silo Mixing Station, ideal for no-waste mixing of mortar on site or for ex-works sale.

- Easy to use
 No mess, no waste
 General purpose
 BS 5268-3 type III mortar
 BS EN 998-2 M4 (prescribed)

CODE	COLOUR	PACK
M612 99	Grev	Bulk ca. 25MT



PLASTERING MORTAR

A factory produced high quality general purpose render specially designed to EN 998-1 for multi-coat hand application. It is manufactured from a controlled blend of sands, cements, and additives to give a high quality rendering product, which is suitable for use in external rendering and internal plastering. Supplied in bulk tanker to our Site Silo Mixing Station, ideal for no-waste mixing of mortar on site or for ex-works sale.

- Easy to use
- No mess, no waste
- General purposeBS EN 998-1 GP
- CODE COLOUR M600 99 Grey Bulk ca. 25MT



MORTAR TUBS

A high quality polyethylene 330L multi-trip, crane-lift mortar tub. Independently tested 5-1 safety factor. The painted steel two handle lifting frame is secured with stainless steel rivets for added durability. The design allows easy separation of the stacked units.

- SWL 650kgExtremely strong and durableFully tested

CODE	COLOUR	PACK	BOX
M100 330	Blue	330L	1



EASY POST

Easy Post is ready to use directly from the bag - no mixing required. It is a blend of specially selected aggregates, cements and additives to give a very fast-setting, cementitious, post-fixing mortar. Easy Post is suitable for fixing wooden, concrete and metal posts. Fence panels can normally be fixed the same day.

- Sets in 5-10min

- Easy to use
 No mixing
 Suitable for fenceposts, gateposts, garden furniture and lighting

CODE	COLOUR	PACK	PALLET
M601 20	Grey	20kg	64



RAPID PATCH

A very fast-setting and drying cementitious patching mortar. It is ideal for internal and external repairs to floors, stairs and steps, window sills, concrete, stone and brick.

- 30min set time
- Fast and strong repairs Easy to mix and use
- Fills up to 25mm

0005	001.0110	D1 01/	DALLET
CODE	COLOUR	PACK	PALLET
Y107 12	Grev	12 5kg	1





FIRE CEMENT

A ready-to-use fire cement for patching and repairs to fire bricks, fireplaces, solid fuel ovens, boilers etc. It is a ready mixed blend of thermally setting binders and temperature resistant inorganic fillers which cures when exposed to heat to give a seal that is resistant to temperatures up to 1200°C

- Easy to apply
- Patching
- Repairs
- Temperature resistant to 1200°C

CODE	COLOUR	PACK	BOX
D290 310	Charcoal	310ml	12
M352 01	Buff	1kg	12
M352 02	Buff	2kg	6
M352 05	Buff	5kg	1



4:1 SAND & CEMENT

A handy pack of specially selected aggregates and cement designed to give a multipurpose mix. Pack contains sand and cement in a 4:1 ratio by weight which is approximately 3:1 by volume. When mixed semi-dry it is ideal for screeding, bedding slabs and paving, haunching kerbs and edgings. Mixed with Larsen Mortar Plasticiser it can be used to produce a traditional building mortar, pointing mortar or render.

- Plastic bag
- Multipurpose
- Easy to use4:1 by weight

CODE	COLOUR	PACK	PALLET
M318 25	Grey	25kg	56



40N CONCRETE

A handy pack of specially selected aggregates and cement designed to give a high strength traditional concrete. Ideal for drives, paths, garage floors, structural concrete application, footings and concrete bases.

- Plastic bag
- High strength >40N/mm²

- Just add water and mix





QUICK CONCRETE

A very rapid setting, fibre reinforced concrete mix. It is a blend of specially selected aggregates and a special fast settling proprietary cement blend designed to give a very rapid settling concrete which can be trafficked in 2-4 hours. Ideal for steps, paths, patios, slabs and shed bases or anywhere requiring a rapid return to service.

- Plastic bag

- Rapid set High strength 2-3 hr traffic time
- Easy to useJust add water
- CODE COLOUR PACK PALLET M335 25 Grey 25kg 56



A very fast-setting, cementitious, post-fixing mortar, it is suitable for fixing wooden, concrete and metal posts. Fence panels can normally be fixed the same day.

Suitable for fenceposts, gateposts, garden furniture and lighting.



SETS IN 5-10MIN
READY TO USE
NO MIXING

MULTIGROUT

QUICKSET

SLC2500 EXTERNAL

HIGHWAYS MBM60

HIGHWAYS MBC10

HIGHWAYS RRC15

POTHOLE/DRIVEWAY REPAIR

DRIVEWAY RESTORER & SEALER

CONCENTRATED ALGICIDE

GUN POINTING MORTAR







MULTIGROUT

A high strength, single component, cementitious, non-shrink, highly flowable grout. It provides a strong, void-free fill which is durable and of low water absorption. Multigrout is mainly used for grouting under machinery baseplates, stanchion baseplates, transformers handrails and many other similar applications.

- High early and ultimate strength
 >60 N/mm² in 28days
- Non-shrink
- High flowBS EN 1504-6

CODE	COLOUR	PACK	PALLET
Y103 25	Grev	25ka	48



QUICKSET

A blend of specially selected aggregates, cements and additives to give a very fast setting cementitious patching screed mortar with high early strength. Rapid repairs can be carried out on screeds, pavements and factory floors with minimal obstruction and downtime.

- 20+ N/mm² in 2 hours
- Up to 75mm in single layer
- Wearing finishTraffic in 2-4 hours
- BS EN 13813 CT-C40-F7

CODE	COLOUR	PACK	PALLET
Y104 25	Grey	25kg	56



SLC2500 EXTERNAL

A single pack, fast drying, hand or pump applied cement based levelling topping designed to eliminate surface irregularities and smooth internal and external concrete and shooth internal and external conference surfaces exposed to industrial traffic. It is self-levelling and smoothing, dimensionally stable and fast drying allowing vehicular traffic after 48 hours. Professional SLC2500 is designed for application between 5 and 15mm to provide an exterior wearing surface.

- Self-levelling 5-15mm in one application
- Fast drying Hard wearing finish
- External use BS EN13813 CT-C30-F7-RWA20

CODE	COLOUR	PACK	PALLET
M320 25	Grey	25kg	48



HIGHWAYS MBM60

A single component, HAPAS approved, Asingle component, IAPAS approved, rapid strength bedding mortar suitable for the installation, raising and reinstatement of ironwork, up to and including installation Group 4 of BSEN124 where rapid trafficking is required. Ideal for bedding kerbs and emergency repairs. Manufactured from a controlled blend of specially selected aggregates, cements and additives it only requires the addition of water to produce a high quality bedding layer which can be trafficked after just 1 hour.

- HAPAS approved
- Stronger, faster even in the cold
- Easy to trowel and finish
- Open to traffic after 1 hour
- >20mpa at 1 hour

CODE	COLOUR	PACK	PALLET
M337 25	Grey	25kg	56



HIGHWAYS MBC10

A HAPAS approved rapid strength concrete for use as backfill of carriageway and reinstatement of ironwork, up to and including reinstatement of ironwork, up to and includinstallation Group 4 of BSEN124-1: 2015 where rapid trafficking is required. It is ideal for haunching reinstatements, as well as post, sign, fence and barrier erection. It can be mixed to a trowelable consistency for bedding or repair applications. Manufactured from a controlled blend of specially selected cements, additives and aggregates to give exceptionally high early compressive and flexural strengths

- HAPAS approved / Sets in 15min
- >20mpa within 2 hours Waterproof packaging
- Shrinkage compensated

CODE	COLOUR	PACK	PALLET
M375R25	Grey	25kg	56



HIGHWAYS RRC15

A fast set high early strength concrete for reinstatements large or small. Independently tested to EN1504-3 Class R4. Designed for use in car parks, warehouses, ramps and slipways, farm buildings and loading bays, and other concrete hardstandings and concrete roads, it is suitable for patch or full-depth repairs with quick re-opening to traffic.

- EN1504-3 Class R4
- High wear resistanceTraffic in 3 hours
- Self priming
- Shrinkage compensated Slip/skid resistant
- Freeze/thaw resistant
- De-icing salt resistant

CODE	COLOUR	PACK	PALLET
M350 25	Grey	25kg	56



POTHOLE/ DRIVEWAY REPAIR

An instant and permanent solution for roads, pavements, driveways, car park maintenance companies, school caretakers and homeowners. Instantly trafficable in any weather conditions, hot, wet or freezing. Blended using specially graded high PSV aggregate to achieve an interlock under compaction combined with excellent anti-skid performance. With a polymer modified bitumen binder creating a tougher, flexible, high performance instant repair.

- One visit for an instant and permanent repair
- Open to traffic immediately
- All weather use / no wasteHigh skid resistance >60 psv

CODE	COLOUR	PACK	BOX
P120 01	Black	25kg	1
P120 02	Black	25kg	1



GUN POINTING MORTAR

A high strength gun applied jointing and pointing mortar. It is designed for gun-injection to provide a clean, quick, durable and colour consistent pointing and jointing solution. GPM is ideal for jointing natural stone paving and pointing sound brickwork, brick slips and pointing stone welling. natural stone walling.

- Easy to use / min 5mm joint width
 Up to 150mm joint depth
 Low shrinkage / frost resistant

- 28 linear metres of 5x10mm joint

CODE	COLOUR	PACK	PALLET
M338 25	Natural (grey)	25kg	56
M358 25	Charcoal	25kg	56
M342 25	Black	25kg	56
M345 25	White	25kg	56
M340 25	Buff	25kg	56
M343 25	Yorkstone	25kg	56



DRIVEWAY RESTORER & SEALER

A high performance surface coating specially formulated to renovate and renew old tarmac paths and driveways. It provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth.

- Quick drying
- Tough seal
 Long lasting finish
 4-6m²/L per coat

CODE	COLOUR	PACK	BOX
M118 05	Black	5L	4
M118 25	Black	25L	1



CONCENTRATED ALGICIDE

Kills green growth, algae and fungi without scrubbing. A highly concentrated surface biocide for killing green and red algae, black moulds, fungal growth on internal and external surfaces.

- Ideal for driveways, renders, paths, brickwork and masonry
 Kills all green and red algae, mildew, mould and fungi
 Brush or spray no scrubbing
 1L dilutes to over 16L

CODE	COLOUR	PACK	BOX
M113 01	Clear	1L	12
M113 02	Clear	2.5L	4
M113 05	Clear	5L	4



FAST SETTING	FAST SETTING
YES	YES
FEATHER EDGE	FEATHER EDGE
YES	NO (MIN 25MM)
DEEP REPAIRS	DEEP REPAIRS
NO (MAX 25MM)	YES
HEAVY DUTY	HEAVY DUTY
NO	YES
NORMAL USE FLOORS / STEPS / SILLS	NORMAL USE YARDS / LOADING BAYS / WAREHOUSES



plates, crane rails, bridge bearing pads, transformers and handrails.

Suitable for stanchions, base plates and holding down bolts.

multigrout 25kg

HEAVY DUTY

NON-SHRINK

HIGH FLOW

BLACK BITUMEN PRIMER

BLACK BITUMEN PAINT

FELT ADHESIVE

ROOFING COMPOUND - BRUSH GRADE

ROOFING COMPOUND - TROWEL GRADE

ALUMINIUM REFLECTIVE PAINT



Larsen supply an effective range of waterproof, weatherproof and corrosion resistant bitumen products.

- Easy to apply
- Ready to use



larsenbuildingproducts.com





BLACK BITUMEN PRIMER

A high quality, fast drying, solvent-based bitumen primer for use with Larsen Bituminous Paint and Roofing products. Larsen Bituminous Primer should be applied prior to applying Bituminous Paint to porous substrates, such as concrete, stone, brick, etc.

- Easy to apply
- Apply by brush or airless spray
 Quick drying
 Brush: 3-5 m²/L

CODE	COLOUR	PACK	BOX
M127 05	Black	5L	4



ROOFING COMPOUND - BRUSH GRADE

A solvent-based, fibre and mineral filler modified bitumen solution used to provide excellent protection to roof structures. It is ideal for use on flat roofs and gutter repairs and is weatherproof and frost resistant immediately after application.

- Easy to applyReady to useWater-resistant
- Unaffected by rain or frost immediately
- after application

 1.5 m²/L per coat

CODE	COLOUR	PACK	BOX
C304 02	Black	2.5L	4
C304 05	Black	5L	4



BLACK BITUMEN PAINT

A high quality, fast drying, solvent-based bitumen paint giving a black coating when dry. It provides an effective waterproof, weatherproof and corrosion resistant protective coating. It can be applied to iron, steel, lead, zinc, aluminium, concrete, stone, brick, etc. Examples of use: to corrugated iron; fire escapes; ladders; cold water storage tanks (not suitable for use in contact with potable water); downpipes; gutters; gates; concrete; stone; brickwork; etc.

- Easy to apply / Quick dryingApply by brush or airless spray
- Resistant to alkalis/acids (low concentrations)
- Brush: 3-5 m²/L

CODE	COLOUR	PACK	BOX
C400 02	Black	2.5L	4
C400 05	Black	5L	4
M128 25	Black	25L	1



FELT ADHESIVE

A solvent-based, bituminous, heavy duty adhesive. It is ideal for bonding felt to timber, metal, concrete, asphalt, and felt roofs, seals, laps on roofing felt and can also be used as a dressing compound for chippings on flat roofs.

- Easy to apply
- Ready to use
 Heavy duty
 1.5 3.0 m²/L

CODE	COLOUR	PACK	BOX
C301 02	Black	2.5L	4
C301 05	Black	5L	4



ROOFING COMPOUND -TROWEL GRADE

A solvent-based, thick, heavy-bodied, bituminous compound with excellent non-slump characteristics. It is principally used for repairing cracks in all types of roofs, including asphalt, bitumen felt, asbestos, cement, concrete, etc. Roofing Compound (Trowel Grade) is ideal for use as a glazing bar mastic on roof lights.

- Easy to apply
- Ready to use Water-resistant
- Unaffected by rain or frost immediately after application

 • 0.7 m²/kg @ 1 mm

CODE	COLOUR	PACK	BOX
C305 02	Black	2.5L	4
C305 05	Black	5L	4



ALUMINIUM REFLECTIVE PAINT

A solvent-based bituminous aluminium paint, which provides a bright silver finish. Aluminium Reflective Paint contains a high quality aluminium flake pigment. It is principally used for the protection against sun and weathering of roofs and walls, particularly where bituminous surfaces, exposed steel and corrugated iron surfaces are encountered.

- Easy to applyQuick dryingWater resistant
- Resistant to salt solutions
 Smooth surfaces: 10 m²/L
- Porous or rough: 5-8 m²/L

CODE	COLOUR	PACK	BOX
C300 05	Silver	5L	4




Larsen Building Products have specifically formulated high performance products that embrace the HAPAS scheme delivering stand-alone product approvals offering greater flexibility to the contractor/specifier.

Larsen Building Products BBA/
HAPAS approved ironwork bedding
mortars and backfill concrete

- Can be used individually or as a system.
- Suitable for all types of carriageway, no restrictions.
- Suitable for all types of ironwork up to and including Group 4 of BS EN 124.

FOR FURTHER INFORMATION, REQUEST OUR COMPREHENSIVE HIGHWAYS BROCHURE.



MULTIPURPOSE SILICONE SEALANT

ALL WEATHER SEALANT

COLOURFAST SILICONE SEALANT

F1X

ROOF & GUTTER SEALANT

LEAD SEALANT

PAINTER'S CAULK

XTRA GRIP CONSTRUCTION ADHESIVE

EASY FOAM HAND HELD

SKELETON GUN

EASY FOAM GUN GRADE

EASY FOAM CLEANER

FOAM GUN



COLOURFAST 360 is a multi purpose grout, perfect for walls and floors. This stain resistant, polymer modified, flexible, rapid-setting grout is ideal for meeting the hygienic requirements of kitchens, bathrooms, swimming pools and wet rooms.

Easy to apply, with a wide choice of coloured silicones and expansion joints, you can achieve the perfect colour match.



FOR WALLS & FLOORS

SUITABLE FOR:

KITCHENS & BATHROOMS



























MULTIPURPOSE SILICONE SEALANT

A one part versatile elastic sealant based on polysiloxanes for sealing building joints and glazing systems. After application Multipurpose Silicone Sealant cures with atmospheric moisture to provide a durable, waterproof elastic seal with excellent adhesion to glass, ceramics, enamel and porcelain. It is ideal for joints in brickwork; around doors and windows; around sanitary-ware; and cap beading.

- Multipurpose
- · Acetoxy silicone sealant
- Low-shrink
 ±25% movement capability
- Excellent adhesion
 EN15651-1 F-EXT-INT
 EN15651-2 G
- EN15651-3 S

ALL WEATHER SEALANT

A solvent-based copolymer sealant based on SEBS co-polymer which cures by the evaporation of solvent to form a plastic/ evaporation of solvent to form a plastic/ elastic rubber seal. It is ideal for a wide range of sealing and weatherproofing applications in building, glazing, roofing and ductwork and for emergency repairs. All Weather Sealant has extremely good adhesion to most surfaces like glass, glazed surfaces, aluminium, lead, zinc and many other metals, spirited wood, expects and brighers was painted wood, concrete and brickwork, even under wet conditions.

- Sealing and weatherproofing Superior adhesion

- Emergency repairs in wet weather

±25% movement capability

durable, waterproof elastic seal with low dirt pick-up and mould resistance. Colourfast 360 silicone is available in a range of colours to complement Colourfast 360 Tile Grout.

- Premium grade Acetoxy silicone sealant Low modulus
- Highly flexible
- Sanitary sealant
 EN15651-1 F-EXT-INT (25LM)
 EN15651-2 G (25LM)
 EN15651-3 S (XS1)

A premium quality, one part low modulus

Colourfast 360 silicone cures to provide a


elastic sealant based on silicones for sanitary and construction applications. The fast curing fomulation exhibits excellent adhesion to

baths, basins, shower enclosures, toilets, glass and glazed tile surrounds. After application

CODE	COLOUR	PACK	BOX
D203C01	Clear	280ml	25
D203W01	White	280ml	25
D203G01	Grey	280ml	25
D203E01	Black	280ml	25
D203B01	Brown	280ml	25

CODE	COLOUR	PACK	BOX
D211C310	Clear	310ml	25
D211E310	Black	310ml	25
D211W310	White	310ml	25

CODE	COLOUR	PACK	BOX
S500C01	Clear	300ml	12
S500W01	White	300ml	12
S500SG01	Silver	300ml	12
S500G01	Grey	300ml	12
S500I01	Ivory	300ml	12
S500J01	Jasmine	300ml	12
S500BE01	Beige	300ml	12
S500B01	Black	300ml	12



Advanced adhesive and sealant which provides excellent grip and bonding.

It consists of a high quality formulation based on MS Polymers which provide a singlepart long lasting and elastic product.

F₁X

LARSEN

F1X ensures excellent grip, bonding and sealing for virtually every material involved in the construction industry, and beyond, making it the ideal all-in-one sealant and fixing product for sealant and fixing product for professional tradesmen. F1X . can be used on both dry and wet surfaces, including under water. It cures odourless through atmospheric moisture to form a durable, flexible, solvent-free, waterproof, weatherproof, UV, bacterial / fungal resistant seal.

- Novel adhesive and sealant
- MS polymerReplaces numerous other products
- Excellent adhesion
- to many surfaces EN 15651-1: F-EXT-INT-CC (CLASS 20HM) • EN 15651-3: S (CLASS XS3)

CODE	COLOUR	PACK	BOX	
D209C01	Clear	290ml	12	
D209W01	White	290ml	12	
D209G01	Grey	290ml	12	
D209B01	Black	290ml	12	

ROOF & GUTTER SEALANT



- · Bitumen based caulk
- Weatherproof sealing

BOX

12

- Sealing and
- jointing guttering Emergency repairs

CODE	COLOUR	PACK
D212 310	Black	310ml

LARSEN

ROOF &

SFAI ANT

LEAD SEALANT

A versatile one component sealant specially formulated for use with lead sheeting and flashing. Ideal for use as an alternative to mortaring for sealing building joints and glazing systems. The product is a low modulus, neutral curing and after application the silicone cures with atmospheric moisture to form a durable rubber seal. It is non-corrosive and may be used without primer, to seal assemblies of, lead and many other metals, concrete, brickwork, glass and glazed surfaces. It can also be used to seal joints in gutters, downpipes and flashings.

- High performanceNeutral cure
- Low-shrink

LARSE

- Waterproof Low modulus
- Ideal for lead flashing EN 15651-1: F-EXT-INT-CC (Class 25LM
- EN15651-2: G-CC (Class 25LM)

CODE	COLOUR	PACK	BOX
D202G01	Grey	310ml	12



PAINTER'S CAULK

An easy to use, low odour, acrylic sealant ideal for internal or external use. It is ideal for sealing joints between skirting, architrave, stairs and walls, around windows and window sills and where limited movement occurs prior to decorating. Easy to apply, it gives a smooth finish which doesn't require sanding before painting. Painter's Caulk can be painted with water based (emulsion) paints after as little as 1 hour.

- Flexible filler
- Interior and exteriorPaint after 1 hr
- Smooth finish
- EN 15651-1: F-EXT-INT (CLASS 7,5P)

	• EN 15651	-3: 5(Class	(XS2)	CODE		COLOUR	PACK	BOX
	COLOUR	PACK	BOX	D210)W310	White	310ml	12
01	Grey	310ml	12	D210)W400	White	380ml	12



XTRA GRIP CONSTRUCTION ADHESIVE

A ready-to-use high strength, gap-filling adhesive which bonds to most common surfaces, replacing the need for nails or screws. Ideal for fitting skirting, architrave, coving etc, it dries white and can be sanded and overpainted.

- Trade grade
- Solvent freeExcellent adhesion
- High strength
- 12m x 6mm bead /tube

EASY FOAM HAND HELD

A ready-to-use, one-component polyurethane foam which cures on contact with humidity. It is used to assemble door frames, fill window joints, window sills, pipes, wall breakthroughs and cavities. The cured foam adheres to practically all usual clean and grease-free construction surfaces

- Foam filler and sealer Assemble door frames
- Fill window frame joints
- Seal window sills and pipes
- For wall breakthroughs and cavities Tack free in 15min



CODE	COLOUR	PACK	BOX
S303 50	White	350ml	25

CODE	COLOUR	PACK	BOX
D213 500	Buff	500ml	12
D213 750	Buff	750ml	12

CODE	COLOUR	PACK	BOX
S315 01	n/a	10"	12



EASY FOAM GUN GRADE

A ready-to-use, onecomponent polyurethane foam which cures on contact with humidity. It is used to assemble door frames, fill window joints, window sills, pipes, wall breakthroughs and cavities. The cured foam adheres to practically all usual clean and grease-free construction surfaces

- Foam filler and sealer
- Assemble door frames Fill window frame joints
- Seal window sills
- and pipes
- · For wall breakthroughs
- and cavities
 Tack free in 15min



LARSEN

EASY FOAM CLEANER

A multi-functional cleaner that is designed to digest and remove uncured PU foam. Designed to allow the easy removal of uncured Easy Foam from the majority of gun grade PU foam applicators. The unique designed plastic moulding is an all-in-one component that includes a threaded collar with integral sealing valve and gasket. These features ensure that it is compatible with the majority of PU foam applicators. Also incorporated into the component is a removable red aerosol actuator button, with a clear short plastic tube to allow application of fine accurate jets of cleaner direct to confined areas.

- Removes uncured
- Easy Foam Cleans applicator guns

500ml

12

Easy to use

CODE	COLOUR
D214 500	Clear



CODE	COLOUR	PACK	BOX
C216 01	Cilvor	n/o	-1

CODE	COLOUR	PACK	BOX	
D213G750	Buff	750ml	12	

Larsen products have been used in prestigious projects across Ireland and the UK. Architects, specifiers and leading brands trust Larsen to deliver high performance and peace of mind.



HOTEL & LEISURE

CROKE PARK W HOTEL MALDRON HOTEL TITANIC BELFAST PREMIER INN **CLARIDGES** PÁIRC UÍ CHAOIMH **DAVID LLOYD** RAMADA **KINGSPAN STADIUM**

NEW HOMES

PERSIMMON MILLER HOMES

CHARLES CHURCH TAYLOR WIMPEY

CALA HOMES McALEER & RUSHE

RETAIL

DUNELM MILL MARKS & SPENCER SPORTS DIRECT JERVIS CENTRE CLAS OHLSON

HARVEY NORMAN JOHN LEWIS ALDI NANDO'S **JD SPORTS**

PRIMARK TESCO H&M **SUPERVALU**

AUTOMOTIVE

BMW CHARLES HURST **MASERATI VOLKSWAGEN** **PEUGEOT PORSCHE**

COMMERCIAL / CORPORATE DANSKE BANK **MANCHESTER AIRPORT FACEBOOK DUBLIN**

GALWAY CLINIC INTEL TWITTER DUBLIN **BAXTER DUBLIN AIRPORT AUTHORITY BELFAST INTERNATIONAL AIRPORT**





BELFAST / HEAD OFFICE T 028 9077 4000 F 028 9077 6945

BIRMINGHAM T 028 9053 5409

DUBLIN T 01 8348255 F 01 8348277

